



# HYUNDAI GENERATOR THREE-PHASE SILENCED 32KW/40KVA STAGE II

**Product price:** 

9,680.00 € tax excluded

# **Product description:**

## HYUNDAI GENERATOR THREE-PHASE SILENCED 32KW/40KVA STAGEII

GENERATOR HYUNDAI SILENT THREE-PHASE STAGEII 32KW/40KVA Silent power at your service

The Hyundai StageII generator represents the ultimate expression of power and reliability in a single solution.

Designed to meet the needs of individuals, businesses and construction sites,

this Hyundai generator offers a range of unbeatable benefits:

## Generator **High performance**:

3120 displacement YTO engine: powerful, reliable and StageII compliant

Direct injection system: efficiency and low consumption

LK184H alternator: robust and reliable, providing a pure sine wave.

### **Quiet operation:**

Noise level below 85 dB (at 7m): ideal for residential and office environments

### Safety and reliability:

Waterproof' control panel: intuitive monitoring and control

Emergency button: Immediate stop in case of need



Waterproof miniature circuit breaker: overload and short-circuit protection

IP23 degree of protection: water and dust resistant

# **Autonomy and durability:**

Large autonomy: 75-litre tank for extended operation

Liquid cooling system: Optimal temperatures even in harsh conditions

# Advanced control and management:

Deepsea DSE6120 control unit

Ready for ATS: automatic connection in the event of mains failure

#### The Hyundai Stagell Generator is the ideal choice for:

Private homes: backup power and supply for high equipment

Companies: business continuity in the event of outages

Construction sites: for tools and machinery

The Hyundai Stagell Three-Phase Silent Generator is the ideal solution

for anyone looking for a powerful, reliable and silent Hyundai generator.

With its three-phase and single-phase, the Hyundai Silent Stagell Generator

is capable of powering a wide range of equipment.

The Hyundai Three-phase Silent StageII Generator

features a direct injection system for efficiency and low fuel consumption.

The Hyundai three-phase Silent StageII Generator is a safe and reliable product,

thanks to its "Waterproof" control panel, emergency button and IP23 protection rating.

# **Technical characteristics Hyundai Three-Phase Silenced Stagell Generator:**

Voltage:230/400 V Single/three-phase

Three-phase continuous use power: 40 KVA



Nominal power: 10.7/32 Kw Max MF/TF Power: 11.7/35 Kw

Frequency: 50 Hz Amperage: 57.7 A

Noise level: 85 DB (at 7m)
IP Degree of Protection: IP23
Degree of Insulation: H/H

Altitude: 1000m asl

**Engine: YTO** 

Displacement: 3120 cc Type of Injection: Direct

No. Cylinders: 3

Engine rpm: 1500/min Emissions: Stage II

Consumption 100%/75%/50% of load: 6.4/4.8/3.2 l/h

Fuel: Diesel

Tank capacity: 75 L

Cooling System: Coolant

Control unit: DEEPSEA DSE6120

Total capacity of lubrication system: 14 L

Cap. total cooling system 6 L Alternator Model: Lk184H

Exciter: Brushless - Auto - Excitation

Dimensions L x W x H: 2220 \* 850 \* 1150 mm

Weight: 967 kg Preparation: ATS

If you are looking for a product similar to Hyundai Three Phase Generator click HERE.

The image is purely indicative.

#### **Product features:**

Phase: Single phase / Three phase

Maximum power single phase (KW): 11.7 Maximum power three phase (KW): 35 Maximum power three phase (KVA): 30

Fuel: Diesel

Frequency (Hz): 50 Voltage (V): 230 / 400



Engine: TYT3A2Z-15

Emissions Regulations: Stage 2

Engine rpm (rpm): 1500 Starting system: Elettrico Engine capacity (cm³): 3120

Number cylinders: 3 Cooling: Liquid Alternator: LK184H Length (mm): 2220 Width (mm): 850 Height (mm): 1150

Engine manufacturer: YTO

Weight (Kg): 967

