



HYUNDAI GENERATOR THREE-PHASE SILENCED 32KW/40KVA STAGE II

Product price:

9,680.00 € tax excluded

Product description:

HYUNDAI GENERATOR THREE-PHASE SILENCED 32KW/40KVA STAGEII

GENERATOR HYUNDAI SILENT THREE-PHASE STAGEII 32KW/40KVA Silent power at your service

The Hyundai StageII generator represents the ultimate expression of power and reliability in a single solution.

Designed to meet the needs of individuals, businesses and construction sites,

this Hyundai generator offers a range of unbeatable benefits:

Generator High performance:

3120 displacement YTO engine: powerful, reliable and StageII compliant

Direct injection system: efficiency and low consumption

LK184H alternator: robust and reliable, providing a pure sine wave.

Quiet operation:

Noise level below 85 dB (at 7m): ideal for residential and office environments

Safety and reliability:

Waterproof' control panel: intuitive monitoring and control

Emergency button: Immediate stop in case of need



Waterproof miniature circuit breaker: overload and short-circuit protection

IP23 degree of protection: water and dust resistant

Autonomy and durability:

Large autonomy: 75-litre tank for extended operation

Liquid cooling system: Optimal temperatures even in harsh conditions

Advanced control and management:

Deepsea DSE6120 control unit

Ready for ATS: automatic connection in the event of mains failure

The Hyundai Stagell Generator is the ideal choice for:

Private homes: backup power and supply for high equipment

Companies: business continuity in the event of outages

Construction sites: for tools and machinery

The Hyundai Stagell Three-Phase Silent Generator is the ideal solution

for anyone looking for a powerful, reliable and silent Hyundai generator.

With its three-phase and single-phase, the Hyundai Silent Stagell Generator

is capable of powering a wide range of equipment.

The Hyundai Three-phase Silent Stagell Generator

features a direct injection system for efficiency and low fuel consumption.

The Hyundai three-phase Silent Stagell Generator is a safe and reliable product,

thanks to its "Waterproof" control panel, emergency button and IP23 protection rating.

Technical characteristics Hyundai Three-Phase Silenced Stagell Generator:

Voltage:230/400 V

Single/three-phase

Three-phase continuous use power: 40 KVA



Nominal power: 10.7/32 Kw
Max MF/TF Power: 11.7/35 Kw
Frequency: 50 Hz
Amperage: 57.7 A
Noise level: 85 DB (at 7m)
IP Degree of Protection: IP23
Degree of Insulation: H/H
Altitude: 1000m asl
Engine: YTO
Displacement: 3120 cc
Type of Injection: Direct
No. Cylinders: 3
Engine rpm: 1500/min
Emissions: Stage II
Consumption 100%/75%/50% of load: 6.4/4.8/3.2 l/h
Fuel: Diesel
Tank capacity: 75 L
Cooling System: Coolant
Control unit: DEEPSEA DSE6120
Total capacity of lubrication system: 14 L
Cap. total cooling system 6 L
Alternator Model: Lk184H
Exciter: Brushless - Auto - Excitation
Dimensions L x W x H: 2220 * 850 * 1150 mm
Weight: 967 kg
Preparation: ATS

If you are looking for a product similar to Hyundai Three Phase Generator click [HERE](#).

The image is purely indicative.

Product features:

Phase: Single phase / Three phase
Maximum power single phase (KW): 11.7
Maximum power three phase (KW):
Maximum power three phase (KVA): 30
Fuel: Diesel
Frequency (Hz): 50
Voltage (V): 230 / 400



Engine: TYT3A2Z-15

Emissions Regulations: Stage 2

Engine rpm (rpm): 1500

Starting system: Elettrico

Engine capacity (cm³): 3120

Number cylinders: 3

Cooling: Liquid

Alternator: LK184H

Length (mm): 2220

Width (mm): 850

Height (mm): 1150

Engine manufacturer: YTO

Weight (Kg): 967

