



HYUNDAI GENERATOR THREE-PHASE SILENCED 40KW/50KVA STAGE II

Product price:

15,045.40 € tax excluded

Product description:

HYUNDAI GENERATOR THREE-PHASE SILENCED 40KW/50KVA STAGEII

GENERATOR HYUNDAI SILENT THREE-PHASE STAGEII 40KW/50KVA.

The Hyundai StageII generator represents the ultimate expression of power and reliability in a single solution.

Designed to meet the needs of individuals, businesses and construction sites,

this Hyundai generator offers a range of unbeatable benefits

The Hyundai Three-Phase Silent StageII Generator unleashes power to meet a wide range of needs,

ensuring high performance and flawless operation.

YTO engine: unit of pure power and reliability, designed for high efficiency and low consumption.

Generator **High performance**:

3120 displacement YTO engine: powerful, reliable and StageII compliant

Direct injection system: efficiency and low consumption

LK224D alternator: robust and reliable, providing a pure sine wave.

Quiet operation:

Noise level below 85 dB (at 7m): ideal for residential and office environments



Safety and reliability:

Waterproof' control panel: intuitive monitoring and control

Emergency button: Immediate stop in case of need

Waterproof miniature circuit breaker: overload and short-circuit protection

IP23 degree of protection: water and dust resistant

Autonomy and durability:

Large autonomy: 120-litre tank for extended operation

Liquid cooling system: Optimal temperatures even in harsh conditions

Advanced control and management:

Deepsea DSE6120 control unit

Ready for ATS: automatic connection in the event of mains failure

The Hyundai Stagell Generator is the ideal choice for:

Private homes: backup and supply for high equipment

Companies: business continuity in the event of outages

Construction sites: for tools and machinery

The Hyundai Stagell Three-Phase Silent Generator is the ideal solution

for anyone looking for a powerful, reliable and silent Hyundai generator.

With its three-phase and single-phase, the Hyundai Silent StageII Generator

is capable of powering a wide range of equipment.

The Hyundai Three-phase Silent StageII Generator

features a direct injection system for efficiency and low fuel consumption.

The Hyundai three-phase Silent Stagell Generator is a safe and reliable product,

thanks to its "Waterproof" control panel, emergency button and IP23 protection rating.



Technical characteristics Hyundai Three-Phase Silenced Stagell Generator:

Voltage:230/400 V Single/three-phase

Three-phase continuous use power: 50 KVA

Nominal power: 13.3/40 Kw Max MF/TF Power: 14.7/44 Kw

Frequency: 50 Hz Amperage: 72 A

Noise level: 85 DB (at 7m) IP Degree of Protection: IP23 Degree of Insulation: H/H

Altitude: 1000m asl

Engine: YTO

Displacement: 4950 cc Type of Injection: Direct

No. Cylinders: 4

Engine rpm: 1500/min Emissions: Stage II

Consumption 100%/75%/50% of load: 8/6/4 l/h

Fuel: Diesel

Tank capacity: 120 L Cooling System: Coolant

Control unit: DEEPSEA DSE6120

Total capacity of lubrication system: 14 L

Cap. total cooling system 6 L Alternator Model: Lk224D

Exciter: Brushless - Auto - Excitation

Dimensions L x W x H: 2470 * 1010 * 1125 mm

Weight: 1204 Kg Predisposition: ATS

If you are looking for a product similar to Hyundai Three Phase Generator click <u>HERE</u>.

The image is purely indicative.

Product features:

Phase: Single phase / Three phase

Maximum power single phase (KW): 14.7



Maximum power three phase (KW): 44 Maximum power three phase (KVA): 50

Fuel: Diesel

Frequency (Hz): 50 Voltage (V): 230 / 400 Engine: LR4BS-15

Emissions Regulations: Stage 2

Engine rpm (rpm): 1500 Starting system: Elettrico Engine capacity (cm³): 4950

Number cylinders: 4 Cooling: Liquid Alternator: LK224D Length (mm): 2470 Width (mm): 1010

Height (mm): 1125

Engine manufacturer: YTO

Weight (Kg): 1204