



Shop name



# HYUNDAI GENERATOR THREE-PHASE SILENCED 60KW/75KVA STAGE II 65530

Product price:

**14,250.00 € tax excluded**

**Product description:**

## **HYUNDAI THREE-PHASE SILENCED GENERATOR 60KW/75KVA STAGEII**

GENERATOR HYUNDAI SILENCED THREE-PHASE STAGEII 60KW/75KVA

The Generator StageII Three-Phase represents the ultimate expression of power and reliability in a single solution.

Designed to meet the needs of individuals, businesses and construction sites, this Hyundai generator offers a number of unbeatable benefits

**High performance:**

4330 displacement YTO engine: reliable and StageII compliant

Direct injection system: efficiency and low fuel consumption

LK224G alternator: robust and reliable, providing a pure sine wave.

**Quiet operation:**

Noise level below 108 dB (at 7m): ideal for residential and business environments

**Safety and reliability:**

"Waterproof" control panel: intuitive monitoring and control

Emergency button: immediate stop in case of need



Miniature and Waterproof circuit breaker: overload and short-circuit protection

IP23 degree of protection: resistant to water and dust

Hyundai Generator **Autonomy and durability:**

Wide autonomy: 120-liter tank for extended operation

Liquid cooling system: optimal temperatures even under severe conditions

Advanced control and management:

Deepsea DSE6120 control unit

Provision for ATS: automatic connection in case failure

The Hyundai Stagell Generator is an ideal choice for:

Private homes: backup and powering high equipment

Businesses: business continuity in case of power outages

Construction sites: power tools and machinery

The Hyundai Three-Phase Silent Stagell Generator is the ideal solution

for those looking for a powerful, reliable and quiet Hyundai generator.

With its three-phase and single-phase power, the Hyundai Three-Phase Silent Stagell Generator is capable of powering a wide range of equipment.

The Hyundai Three-Phase Silent Stagell Generator

features a direct injection system that ensures efficiency and low fuel consumption.

The Hyundai Three-Phase Silent Stagell Generator is a safe and reliable product, thanks to its "Waterproof" control panel, emergency button and IP23 protection rating.

### **Hyundai Stagell Generator Specifications:**

Voltage: 230/400 V  
Single/three-phase

---



Three-phase continuous use power: 75 KVA  
Nominal power: 20/60 Kw  
Max. power MF/TF: 25/75 Kw  
Frequency: 50 Hz  
Amperage: 108 A  
Noise Level: 85 DB (at 7m)  
IP Degree of Protection: IP23  
Degree of Insulation: H/H  
Altitude: 1000m asl  
Engine: YTO  
Displacement: 4330 cc  
Type of Injection: Direct  
No. Cylinders: 4  
Engine rpm: 1500/min  
Emissions: Stage II  
Fuel consumption 100%/75%/50% load: 17.6/13.2/9.1 l/h  
Fuel: Diesel  
Tank capacity: 120 L  
Cooling System: Coolant  
Control unit: DEEPSEA DSE6120  
Total capacity of lubrication system: 16.4 L  
Cap. total cooling system 8.3 L  
Alternator Model: Lk224G  
Exciter: Brushless - Self-excitation  
Dimensions L x W x H: 2470 \* 1010 \* 1150 mm  
Weight: 1350 Kg  
Predisposition: ATS

If you are looking for a product similar to Hyundai Three Phase Generator click [HERE](#).

The image is purely indicative.

#### **Product features:**

Phase: Single phase / Three phase  
Maximum power single phase (KW): 25  
Maximum power three phase (KW): 75  
Maximum power three phase (KVA): 75  
Fuel: Diesel  
Frequency (Hz): 50  
Voltage (V): 230 / 400

---



Engine: LR4B3Z-15  
Emissions Regulations: Stage 2  
Engine rpm (rpm): 1500  
Starting system: Elettrico  
Engine capacity (cm<sup>3</sup>): 4330  
Number cylinders: 4  
Cooling: Liquid  
Alternator: LK224G  
Length (mm): 2470  
Width (mm): 1010  
Height (mm): 1150  
Engine manufacturer: YTO  
Weight (Kg): 1350