



# HYUNDAI GENERATOR THREE-PHASE SILENCED 60KW/75KVA STAGE II

## **Product price:**

20,142.00 € tax excluded

# **Product description:**

### HYUNDAI GENERATOR THREE-PHASE SILENCED 60KW/75KVA STAGEII

GENERATOR HYUNDAI SILENT THREE-PHASE STAGEII 60KW/75KVA Silent at your service

The Hyundai StageII generator represents the ultimate expression of power and reliability in a single solution.

Designed to meet the needs of individuals, businesses and construction sites,

this Hyundai generator offers a range of unbeatable benefits

The Hyundai Three-Phase Silent Stagell Generator unleashes power to meet a wide range of needs,

ensuring high performance and flawless operation.

Cummins engine: A power unit of pure and reliability, designed for high efficiency and low consumption.

Its versatility makes it suitable for a wide range of applications, from the home to the construction site, from the office to outdoor events.

keeps the motor temperature under control even under severe working conditions, ensuring a longer life and flawless operation

# Generator **High performance**:

3900 displacement Cummins engine: powerful, reliable and StageII compliant



Direct injection system: efficiency and low consumption

LK224E alternator: robust and reliable, providing a pure sine wave.

# **Quiet operation:**

Noise level below 108 dB (at 7m): ideal for residential and office environments

# Safety and reliability:

Waterproof' control panel: intuitive monitoring and control

Emergency button: Immediate stop in case of need

Waterproof miniature circuit breaker: overload and short-circuit protection

IP23 degree of protection: water and dust resistant

# **Autonomy and durability:**

Large autonomy: 120-litre tank for extended operation

Liquid cooling system: Optimal temperatures even in harsh conditions

## **Advanced control and management:**

Deepsea DSE6120 control unit

Ready for ATS: automatic connection in the event of mains failure

#### The Hyundai Stagell Generator is the ideal choice for:

Private homes: backup power and supply for high equipment

Companies: business continuity in the event of outages

Construction sites: for tools and machinery

The Hyundai Stagell Three-Phase Silent Generator is the ideal solution

for anyone looking for a powerful, reliable and silent Hyundai generator.

With its three-phase and single-phase, the Hyundai Silent Stagell Generator

is capable of powering a wide range of equipment.



The Hyundai Three-phase Silent Stagell Generator

features a direct injection system for efficiency and low fuel consumption.

The Hyundai three-phase Silent Stagell Generator is a safe and reliable product,

thanks to its "Waterproof" control panel, emergency button and IP23 protection rating.

# Technical characteristics Hyundai Three-Phase Silenced Stagell Generator:

Voltage:230/400 V Single/three-phase

Three-phase continuous use power: 75 KVA

Nominal power: 20/60 Kw Max. power MF/TF: 25/75 Kw

Frequency: 50 Hz Amperage: 108 A

Noise Level: 85 DB (at 7m)
IP Degree of Protection: IP23
Degree of Insulation: H/H

Altitude: 1000m asl Engine:Cummins

Displacement: 3900 cc Type of Injection: Direct

No. Cylinders: 4

Engine rpm: 1500/min Emissions: Stage II

Fuel consumption 100%/75%/50% load: 15/11.25/7.5 l/h

Fuel: Diesel

Tank capacity: 120 L Cooling System: Coolant

Control unit: DEEPSEA DSE6120

Total capacity of lubrication system: 14 L

Cap. total cooling system 8.3 L

Alternator Model: Lk224E

Exciter: Brushless - Self-excitation

Dimensions L x W x H: 2688 \* 1080 \* 1450 mm

Weight: 1350 Kg Predisposition: ATS

If you are looking for a product similar to Hyundai Three Phase Generator click HERE.

The image is purely indicative.



### **Product features:**

Phase: Single phase / Three phase Maximum power single phase (KW): 25 Maximum power three phase (KW): 75 Maximum power three phase (KVA): 75

Fuel: Diesel

Frequency (Hz): 50 Voltage (V): 230 / 400 Engine: 4BTA3.9-G11

Emissions Regulations: Stage 2

Engine rpm (rpm): 1500 Starting system: Elettrico Engine capacity (cm³): 3900

Number cylinders: 4 Cooling: Liquid Alternator: LK224E Length (mm): 2688 Width (mm): 1080 Height (mm): 1450

Engine manufacturer: Cummins

Weight (Kg): 1350