



# Tecnogen Enermax PK22TSX Current Generator

**Product price:**

**8.673,00 € tax excluded**

## **Product description:**

Tecnogen Enermax PK22TSX Current Generator

**Tecnogen Enermax PK22TSX: Power, Reliability and Quietness for Your Energy Needs**

The Tecnogen Enermax PK22TSX is a high-quality diesel generator set designed to provide reliable and quiet power in a variety of applications.

## **A powerhouse to power your business:**

LPT power: 22 KVA

PRP power: 20 kW

Frequency: 50 Hz

Voltage: 400/230 V

## **Versatility for any application:**

Powering construction sites, companies, events and homes in the event of a blackout. Ideal for applications requiring quiet operation, such as hospitals, schools and offices.

## **A high-performance, reliable motor:**

Diesel engine: guarantees robust and long-lasting performance.

RPM: 1500 rpm for efficient and quiet operation.

Liquid cooling: keeps the engine at the right temperature even under heavy-duty conditions.

## **A high-quality alternator:**

Leroy Somer alternator: guarantees stable and precise current output.

400-230 V - 50 Hz: compatible with a wide range of devices.





### **Robust and silent design:**

Fully hot-dip galvanised and polyester powder-coated silenced enclosure: weatherproof and wear-resistant.

Central lifting point: for easy transport by crane.

High-capacity fuel tank: ensures extended operating autonomy.

Electrowelded steel base frame: robust and stable.

Safety drip pan: to prevent accidental spillage.

Moulded support feet: for easy movement using fork lifts.

### **Complete electrical panel:**

Electric control and control panel: manages all generator functions.

Control and protection unit: monitors operating parameters and ensures generator safety.

Watertight auxiliary sockets: protected by thermal-magnetic circuit breakers.

Magnetothermal/differential switch for the 230 V single-phase socket: guarantees safety in the event of current leakage.

General differential circuit breaker: protects the electrical system from earth faults.

Model AUS7310-16: high quality and reliable switchgear.

Choose the Tecnogen Enermax PK22TSX and you will always have the power you need, in maximum silence.

A high quality product signed Tecnogen, a leading manufacturer of electric generators, which offers you:

Power and versatility: suitable for multiple applications.

Reliability and safety: with a high-performance engine, high-quality alternator and complete electrical panel.

Reliability and safety: with high-performance engine, high-quality alternator and complete electrical panel.

Ease of operation and maintenance: with robust design and intuitive control panel.

Durability: with high-quality components and robust construction.

Quiet operation: ideal for applications requiring discrete operation.

### **Technical Specifications Tecnogen Enermax PK22TSX Generator:**

LPT power: 22 KVA

PRP power: 20 kW

Frequency: 50 Hz

Voltage: 400/230 V

Alternator: Leroy Sommer

Cooling: Liquid

engine speed: 1500 rpm

Electric voltage regulator: AVR

Silenced: yes

thermal-magnetic circuit breaker for 230 V single-phase socket

general differential switch: Model AUS7310-15





Weight: 620 kg  
Acoustic pressure: 65 db(A) 7 m  
Tank(L): 80  
Dimensions: 170x77x125

If you are looking for a product with similar characteristics click [HERE](#)

The image is purely indicative.

**Product features:**

Phase: Single phase / Three phase  
Maximum power three phase (KW): 20  
Maximum power three phase (KVA): 22  
Fuel: Diesel  
Frequency (Hz): 50  
Voltage (V): 400/230  
Engine: Kohler  
Engine rpm (rpm): 1500  
Speed governor: Electronic  
Engine capacity (cm<sup>3</sup>): 2216  
Number cylinders: 4  
Cooling: Water  
Product dimensions (mm): 170x77x125  
Fuel tank capacity (L): 80  
Acoustic pressure: 65 dB(A) at 7 m  
Dry weight (Kg): 620  
Silenced: Yes  
Voltage regulator: AVR  
Engine manufacturer: Perkins