



BM2 STX 20015 High Pressure Washer 200 bar

Product price:

3.425,85 € tax excluded

Product description:

BM2 STX 20015 HIGH PRESSURE WASHER 200 BAR

The BM2 STX 20015 High Pressure Washer, with a maximum pressure of 200 bar, represents the pinnacle of innovation

in the high-pressure cleaning equipment sector. Equipped with prestigious BM2 STX 20015 200 bar pumps,

featuring ceramic pistons and brass head, it delivers a constant and powerful flow to effectively tackle any dirt.

The 1450 rpm motor ensures consistent power and extended durability, while the AISI 430 stainless steel cover protects

against corrosion and atmospheric agents.

Thanks to the motor/pump coupling protection system and pressure regulation valve, the BM2 STX 20015

provides safe operation and precise flow adjustment. The integrated boiler, with over 89% efficiency, ensures effective cleaning even

in the most stubborn conditions. Pre-ventilation and leakage control guarantee safe and efficient use,

minimizing energy and water consumption.

The ergonomic design of the BM2 STX 20015, with a front bumper-handle and free-wheeling, pivoting wheels with brakes,

makes this pressure washer easy to maneuver in any environment. Additionally, the motor's thermal protection ensures safe and

reliable operation even in extreme conditions.

The BM2 STX 20015 200 bar is equipped with numerous advanced features, including LED notification for low diesel with boiler shutdown

and automatic shutdown after 20 minutes of inactivity. With a 35-liter tank capacity and a length





of 956 mm,

this pressure washer offers high performance in a compact and versatile design.

In conclusion, the BM2 STX 20015 is the ideal choice for industry professionals and enthusiasts, thanks to its high performance, reliability, and user-friendly design. With a maximum pressure of 200 bar and

a maximum flow rate of 900 Lt./h, it's ready to tackle any cleaning challenge with ease and precision.

Technical Features BM2 STX 20015:

Phase type: Three-phase Supply voltage: 400 V Frequency: 50 Hz

Maximum pressure: 200 bar - 20 Mpa - 2900 psi

Maximum flow rate: 900 Lt./h

Pump: IP E2

Shutoff System: ACDS Pump rotation: 1450 rpm

Maximum power consumption: 6.5 KW Power supply: 400 V - 3ph - 50 Hz Maximum temperature: 140 °C

Tank capacity: 35 lt

Detergent tank capacity: 3 lt

Length: 956 mm. Width: 610 mm. Height: 940 mm. Weight: 148 kg.

BM2

Are you looking for a pressure washer with different characteristics? HERE you can find the entire BM2 range or other specialized brands.

Images and technical data are not binding and may be subject to revisions by the manufacturer.

Product features:

Phase: Three phase

Fuel: Diesel

Frequency (Hz): 50





Voltage (V): 400 Pump type: IP E2

Maximum output capacity (Lt/min): 900

Tank capacity (L): 35

Transportability: Wheels and handles

Length (mm): 956 Width (mm): 610 Height (mm): 940 Dry weight (Kg): 148

Feed Type: 400V - 3ph - 50Hz

maximum water temperature (°C): 140

Maximum input power (KW): 6.5

Pump rotation (rpm): 1450

Maximum pressure (bar-MPa-psi): 200 - 20 - 2900

Stop system: ACDS Detergent tank: 3

