



# PRAMAC LIFTER SCALE TRUCK PY20

**Product price:**

**862,00 € tax excluded**

## **Product description:**

PRAMAC Lifter PY20 pallet truck scale

PRAMAC Lifter PY20 pallet truck scale is a hand pallet truck designed to efficiently and safely handle and weigh loads.

Its features make it ideal for a wide range of applications in warehouses, workshops and other work environments.

**Manual propulsion:** The PY20 is manually driven, making it an economical and environmentally friendly choice.

It requires no batteries or recharging, so it is always ready for use.

**Accompanying drive system:** This system allows the operator to steer the truck by pushing or pulling it by hand.

It is ideal for manoeuvring

in tight spaces and for precise load control.

**2000 kg capacity:** The PY20 has a maximum capacity of 2000 kg, making it capable of handling heavy loads with ease.

**4 Rear Wheels:** The four rear wheels provide stability and safety when handling loads.

**2 Front Wheels:** The two front swivel wheels facilitate manoeuvrability and allow the trolley to swivel in tight spaces.

**Lifting height 120 mm:** The PY20 can lift loads up to a height of 120 mm, making it easier to load and unload trucks or trailers.

**Compact Dimensions:** With an overall length of 1640 mm, an overall width of 540 mm and a fork





width of 540 mm,  
the PY20 is a compact truck that easily adapts to any working environment.

Fork length 1150 mm: The 1150 mm long forks allow long and bulky loads to be handled.

Stowage aisle 1678 mm: The 1678 mm stowage aisle allows the PY20 to operate in narrow aisles.

Vault radius 1350 mm: The 1350 mm turning radius facilitates manoeuvrability of the truck in tight spaces.

Integrated weighing function: The PY20 has an integrated weighing function that allows loads to be weighed directly on the truck.

This eliminates the need for a separate scale, saving time and increasing efficiency.

### **Main technical characteristics of the PRAMAC Lifter PY20 pallet truck scale:**

Drive type: Manual

Drive system: Accompaniment

Load capacity: 2000 kg

Quantity of rear wheels: 4

Number of front wheels: 2

Lifting height: 120 mm

Total length: 1640 mm

Total width: 540 mm

Fork width: 540 mm

Fork length: 1150 mm

Stowage aisle: 1678 mm

Turning radius: 1350 mm

If you are looking for another kind of product for the transport and storage of goods, then you can consult our catalogue with a large selection of products.

Images and technical data are not binding.

### **Product features:**

Drive: Manual

Operator type: Pedestrian

Load capacity (Kg): 2000

Load centre distance (mm): 600





Load axle to end forks (mm): 938  
Wheel base (mm): 1260  
Service weight (Kg): 99  
Axle load, laden rear (Kg): 629  
Axle load, laden front (Kg): 1470  
Axle load, unladen front (Kg): 62  
Axle load, unladen rear (Kg): 37  
Tyres: front wheels: POLY  
Tyres: rear wheels: POLY  
Diameter steering wheels (mm): 180  
Width steering wheels (mm): 50  
Diameter load rollers (mm): 70  
Width load rollers (mm): 50  
Lift height (mm): 120  
Overall length (mm): 1640  
Overall width (mm): 540  
Weight (Kg): 99

