



# GREEN POWER GP110S/B-A GENERATOR 110KVA SILENCED AUTOMATIC

**Product price:** 

11,895.00 € tax excluded

# **Product description:**

## GREEN POWER GP110S/B-A 110KVA SINGLE / THREE-PHASE GENERATOR

The GREEN POWER GP110S / B single-phase / three-phase generator set is equipped with a Baudouin 4M11G120 / 5 diesel-powered engine, capable of delivering a power of 110KVA complete with **AVR voltage regulator**.

The GREEN POWER GP110S / B is equipped with **automatic start** with 12 V battery, the generator is equipped with an automatic control panel with **COMAP IL4 AMF 9** control unit, which allows to view all the electrical parameters of the engine and generator, the functions, the status of the generator, manage the entire group and view, in case they occur, the errors or alarms of the system.

This group is equipped with a soundproof cabin, made of carbon steel 20/10 thick, folded and electro-welded, with protection class IP23 and which can be opened in two sections. This cabin allows an incredible reduction of noise pollution, up to obtaining an acoustic pressure of only 64 dB (A) recorded at a distance of 7 meters. The generating set guarantees efficient and silent operation thanks to the Baudouin 4M11G120 / 5 engine, which allows to deliver a maximum power of 110KVA.

### TECHNICAL FEATURES GREEN POWER GP110S / B

Type of phase: Single / Three-phase Continuous use power: 100 KVA / 80 KW

Maximum power: 110 KVA / 88 KW Motor: Baudouin 4M11G120 / 5

Revs engine: 1500 rpm

**Emissions regulations: Not Emitted** 



Starting: Electric / Automatic

Fuel: Diesel

Voltage available at terminals: 230/400 V

Frequency: 50 Hz Voltage regulator: AVR Tank capacity: 130 I

Autonomy at 75% of the load: 8.12 h Consumption at 75% of the load: 16 Lt / h

Sound pressure: 64 dB (A) @ 7 m

Length: 2500 mm Width: 1000 mm Height: 1420 mm Dry weight: 1600 Kg

Are you looking for a generator with different technical characteristics? <u>HERE</u> you can find the area dedicated to generating sets of specialized brands.

Non-binding images and technical data.

### **Product features:**

Phase: Single phase / Three phase Maximum power three phase (KW): 88 Continuous power three phase (KW): 80 Maximum power three phase (KVA): 5.5 Continuous power three phase (KVA): 5

Fuel: Diesel

Frequency (Hz): 50 Voltage (V): 230 / 400

Engine: Baudouin 4M11G120/5

Emissions Regulations: Stationary Use

Engine rpm (rpm): 1500 Speed governor: Electronic

Starting system:

Engine capacity (cm<sup>3</sup>): 4087

Number cylinders: 4

Cylinders' position: In line

Cooling: Water

Poles: 4

Fuel tank capacity (L): 130

Consumption (L/h): 16 at 75% load Running time (h): 8.12 at 75% load

Length (mm): 2500



Width (mm): 700 Height (mm): 1000 Dry weight (Kg): 350

Silenced: Yes

Super silenced: Yes

ATS Switch device : Optional

Voltage regulator: AVR

