



PRAMAC GBW15P Generator Set Three-phase 11.2KW ACP Enclosure with automatic control panel

Product price:

8,580.23 € tax excluded

Product description:

PRAMAC GBW15P THREE-PHASE ACP GENERATOR 11.2KW

The PRAMAC GBW15P three-phase generator delivers 11.2 kW and is powered by a diesel engine running at 1500 rpm. The PRAMAC GBW15P generator is equipped with an electric start system. Its alternator comes with brushes and a compound voltage regulator. The Perkins diesel engine makes the GBW15P generator highly reliable, as it has been designed and built with top-quality materials.

Thanks to its soundproof canopy, this generator is extremely silent. In addition, it is easy to transport, install, and position thanks to its compact size. This model is ideal for emergency backup, construction sites, mobile workshops, and industrial applications. The PRAMAC GBW15P three-phase generator is suitable for outdoor use on job sites or for small professional outdoor applications.

Technical specifications of the PRAMAC GBW15P ACP Three-phase generator:

Three-phase maximum power: 11.28 kW - 14.1 kVA

Three-phase continuous power: 10.18 kW - 12.7 kVA

Fuel: Diesel

Voltage: 400 V

Frequency: 50 Hz

Engine: Perkins 403D-15G

Starting system: Electric

Fuel consumption: 3.6 L/h at 100% load

Length: 1645 mm

Width: 870 mm

Height: 1072 mm



Weight: 550 kg
Compound

Automatic control panel ACP:

Integrated panel connected to the generator, with a microprocessor-based control module that manages all command, control, and monitoring electronic circuits. Direct switching control terminal block (ACP)

No. 1 3P+N+T CEE 400V 32A

The PRAMAC GBW15P power generator is a professional diesel unit developed by Pramac, designed with features and equipment required to provide a top-class product. With its low noise level, the PRAMAC GBW15P generator is the ideal solution for use in residential areas or during off-working hours.

The GBW15P generator is equipped with a reliable Perkins diesel engine, premium-quality components, and a complete set of instrumentation.

If you are looking for a generator like the PRAMAC GBW15P THREE-PHASE unit, we recommend browsing our catalog of [land-based generators](#) to find the model that best suits your needs.

Product features:

Phase: Three phase

Maximum power three phase (KW): 11.28

Continuous power three phase (KW): 10.18

Maximum power three phase (KVA): 14.1

Continuous power three phase (KVA): 12.72

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 400

Sockets configuration: 1 x 400V 32A 3P+N+T CEE

Emissions Regulations: Stationary Use

Speed governor: Mechanical

Starting system: Elettrico

Engine capacity (cm³): 1496

Number cylinders: 3

Cylinders' position: In line

Oil capacity (L): 6

Cooling: Water

Alternator: Linz E1S13MD, with brushes

Poles: 4

Fuel tank capacity (L): 51

Consumption (L/h): 2.7 at 75% of the load / 3.6 at 100% of the load



Running time (h): 18.6 at 75% of the load / 14.2 at 100% of the load

Acoustic power: 95 dB(A)

Acoustic pressure: 66 dB(A) at 7 m

Length (mm): 1645

Width (mm): 870

Height (mm): 1072

Dry weight (Kg): 550

Silenced: Yes

Super silenced: Yes

Product type: Generator

ATS Switch device : Optional

Voltage regulator: Compound

Engine manufacturer: Perkins