



# BM2 MIDIA 1509 TS High Pressure Cleaner 150 bar

Product price:

**806.47 € tax excluded**

**Product description:**

## BM2 MIDIA 1509 TS HIGH PRESSURE CLEANER 150 BAR

The BM2 MIDIA 1509 TS High Pressure Washer 150 bar is an excellent solution in the field of pressure washers, combining technological innovation and reliable performance to meet the most demanding needs. Equipped with a high-quality axial brass head pump, the 1509 model and the CAGE 1509 ensure durability and corrosion resistance in any work environment.

With advanced features such as immediate shutdown for the BM2 MIDIA 1509 TS, this pressure washer offers optimal flexibility and control during use. The high-performance motor, with a rotation of 2800 rpm for the BM2 MIDIA 1509 TS, ensures consistent and reliable performance.

The ability to dispense detergent at low pressure, controllable directly from the washing head, ensures effective and gentle cleaning on a wide range of surfaces.

The BM2 MIDIA 1509 TS High Pressure Washer 150 bar is designed with practicality and safety in mind, featuring characteristics such as thermal motor protection, anti-shock ABS cover for the BM2 MIDIA 1509 TS, and anti-trace wheels for easy maneuverability on any terrain. The inspectable water filter and standard lance holder facilitate maintenance and organization during use.

With impressive technical specifications, including a maximum pressure of 150 bar, a maximum flow rate of 540 Lt./h, and a maximum power consumption of 2.6 KW, the BM2 MIDIA 1509 TS High Pressure Washer 150 bar stands out for its superior performance and reliability. Ideal for a wide range of industrial and commercial applications,



---

this pressure washer represents a smart choice for those seeking quality, efficiency, and durability over time.

### **Technical Specifications BM2 MIDIA 1509 TS:**

Phase type: Single-phase

Frequency: 50 Hz

Voltage: 230 V

Maximum pressure: 150 bar - 15 Mpa - 2180 psi

Maximum flow rate: 540 Lt./h

Pump: Axial

Stop system: TS

Pump speed: 2800 rpm

Maximum absorbed power: 2.6 KW

Supply voltage: 230 V - 1ph - 50Hz

Cleaning agent tank: 5 lt

Maximum inlet temp: 40 °C

Pallet quantities: 24 pcs

Length: 810 mm.

Width: 380 mm.

Height: 870 mm.

Weight: 52 Kg.

BM2

Are you looking for a hydrocleaner with different features? [Here](#) you can find the full range BM2 or other specialized brands.

Images and technical data are not binding and may be subject to revisions by the manufacturer.

### **Product features:**

Phase: Single phase

Frequency (Hz): 50

Voltage (V): 230

Pump type: AXIAL

Maximum output capacity (Lt/min): 540

Transportability: Wheels and handles

Length (mm): 810

Width (mm): 380

Height (mm): 870



Feed Type: 230V - 1ph - 50Hz

maximum water temperature (°C): 40

Weight (Kg): 52

Maximum input power (KW): 2.6

Pump rotation (rpm): 2800

Maximum pressure (bar-MPa-psi): 150 - 15 - 2180

Stop system: TS

Detergent tank: 5

