



PRAMAC GBW15Y Generator Set Three-phase ACP 13kVA Enclosure with automatic control panel

Product price:

8,129.82 € tax excluded

Product description:

PRAMAC GBW15Y GENERATOR SET ACP THREE-PHASE 13KVA

The PRAMAC GBW15Y three-phase generator delivers 11.4 kW with a diesel engine running at 1500 rpm. The PRAMAC GBW15Y generator is equipped with electric start. The alternator of the PRAMAC GBW15Y generator has brushes with a compound voltage regulator. The Yanmar diesel engine makes the GBW15Y generator highly reliable, as it has been designed and built using top-quality materials.

Thanks to its soundproof canopy, this generator is super-silenced. In addition, it is easy to transport, install, and position thanks to its compact size. This model is ideal for emergency backup, construction, mobile workshops, and industrial applications. The PRAMAC GBW15Y three-phase generator is suitable for outdoor use on construction sites or for small professional jobs.

Technical specifications of the PRAMAC GBW15Y ACP Three-Phase Generator:

Maximum three-phase power: 11.44 kW Continuous three-phase power: 10.4 kW

Fuel: Diesel Voltage: 400 V Frequency: 50 Hz

Engine: Yanmar 3TNV88-BGPGE

Starting system: Electric

Fuel consumption: 3.8 L/h at 100% load

Length: 1645 mm Width: 870 mm Height: 1072 mm Weight: 430 Kg

Compound



ACP Automatic Control Panel:

Integrated panel connected to the generator, with a microprocessor control module that collects all the electronic control, command, and monitoring circuits. Direct switching control terminal block (ACP)

N.1 3P+N+T CEE 400V 32A

The PRAMAC GBW15Y power generator is a professional diesel genset developed by Pramac with the features and equipment required to deliver a superior-class product. With its low noise level, the PRAMAC GBW15Y generator is ideal for use in residential areas or during non-working hours.

The GBW15Y generator is equipped with a reliable diesel engine, premium components, and complete instrumentation.

If you are looking for a generator like the PRAMAC GBW15Y three-phase power generator, we recommend browsing our catalog of <u>land-based generators</u> to find the one that best suits your needs.

Product features:

Phase: Three phase

Maximum power three phase (KW): 11.44 Continuous power three phase (KW): 10.4 Maximum power three phase (KVA): 14.3 Continuous power three phase (KVA): 13

Fuel: Diesel

Frequency (Hz): 50 Voltage (V): 400

Sockets configuration: 1 x 400V 32A 3P+N+T CEE Engine: Yanmar 3TNV88-BGPGE, naturally aspirated

Emissions Regulations: Stage 5

Engine rpm (rpm): 1500 Speed governor: Mechanical Starting system: Elettrico Engine capacity (cm³): 1642

Number cylinders: 3

Cylinders' position: In line

Oil capacity (L): 6.9 Cooling: Water

Alternator: Linz E1S13MD, with brushes

Poles: 4

Fuel tank capacity (L): 51

Consumption (L/h): 2.8 at 75% of the load / 3.8 at 100% of the load



Running time (h): 18 at 75% of the load / 13.5 at 100% of the load

Acoustic power: 93 dB(A)

Acoustic pressure: 64 dB(A) at 7 m

Length (mm): 1645 Width (mm): 870 Height (mm): 1072 Dry weight (Kg): 430

Silenced: Yes

Super silenced: Yes Product type: Generator ATS Switch device: Optional Voltage regulator: Compound Engine manufacturer: Yanmar

