



PRAMAC GBW22Y **GENSET WITH MANUAL CONTROL PANEL**

Product price:

7.077,00 € tax excluded

Product description:

The GBW series offers reliable and powerful machines, built for professional use in support of the power grid in case of blackouts or to serve isolated locations.

Easy to transport, install and position thanks to its compact size, this model is ideal for network emergency, construction, mobile workshops and industrial applications.

Available in open or hooded version.

- ? YANMAR/PERKINS diesel engines
- ? Water cooling
- ? LINZ Alternators Compound adjustment
- ? Tilting casing with gas springs
- ? Residential muffler
- ? Lifting hook
- ? Fork base with trolleys
- ? Motor fluids and charged battery
- ? Oil extraction piping
- ? MCP manual cabinet supplied as standard with 5 sockets.

The pictures are purely indicative.

Product features:

Phase: Three phase

Maximum power three phase (KW): 15.48 Continuous power three phase (KW): 14.1 Maximum power three phase (KVA): 19.35 Continuous power three phase (KVA): 17.63

Fuel: Diesel





Frequency (Hz): 50 Voltage (V): 400

Sockets configuration: 1 x 400V 32A 3P+N+T CEE - 1 x 400V 16A 3P+N+T CEE - 2 x 230V 16A

2P+T CEE - 1 x 230V 16A SCHUKO Emissions Regulations: Stage 5 Speed governor: Mechanical Starting system: Electric

Engine capacity (cm³): 2190

Number cylinders: 4 Cylinders' position: In line

Oil capacity (L): 7.4 Cooling: Water

Alternator: Linz E1S13MF, with brushes

Poles: 4

Fuel tank capacity (L): 51

Consumption (L/h): 3.8 at 75% of the load / 5 at 100% of the load Running time (h): 13.4 at 75% of the load / 10.1 at 100% of the load

Acoustic power: 93 dB(A)

Acoustic pressure: 64 dB(A) at 7 m

Length (mm): 1645 Width (mm): 870 Height (mm): 1072 Dry weight (Kg): 560

Silenced: Yes

Super silenced: Yes
Product type: Generator
ATS Switch device: No

Voltage regulator: Compound Engine manufacturer: Yanmar