



GENERATOR SET SINGLE-PHASE-THREE-PHASE 275KVA

Product price:

23,081.00 € tax excluded

Product description:

GENERATOR SET SINGLE-PHASE-THREE-PHASE 275KVA

Three-phase-single-phase 275KVA generator with a Baudouin 6M16G275-5 diesel-powered engine and a fuel tank with a maximum capacity of 370 l.

The generator's MECC ALTE alternator is 4-pole, synchronous with electronic voltage regulation and class H insulation.

The generator has a 370-litre tank.

Main Features:

High Power: With a maximum power output of 275 KVA and a continuous power output of 250 KVA, this generator set is capable of powering a wide range of electrical devices, making it ideal for industrial applications, construction sites, outdoor events and other situations where a reliable and powerful power source is needed.

High-performance motor: The Baudouin 6M16G275-5 motor, known for its robustness and reliability, ensures prolonged operation and constant power output.

Flexibility of Use: The possibility of delivering both three-phase and single-phase voltage, combined with voltage and frequency regulation, makes this genset adaptable to different operating requirements.

Quietness: Thanks to the silencing system, the noise level is reduced to 70 dB(A) at a distance of 7 metres, allowing use in noise-sensitive environments.

Autonomy: With a 370-litre tank, the genset offers good autonomy, reducing the need for frequent refuelling.



Technical characteristics of the

Technical characteristics of the GENERATOR SET SINGLE-PHASE-THREE-PHASE 275KVA:

Type of phase: Three-phase/Single-phase

Maximum power: 275 KVA

Continuous power: 250 KVA

Maximum power: 220 KW

Continuous power: 200 KW

Fuel: Diesel

Alternator: Mecc Alte

Voltage: 400-230 V

Frequency: 50 Hz

Engine: Baudouin 6M16G275-5

Engine speed: 1500 rpm

Starter: Electric

Tank capacity: 370 l

Acoustic power 70 dB(A) at 7m

Dimensions: 3800x1200x2000 mm

weight: 2300 kg

Silenced

If you are looking for another product like this generator GREEN POWER then you can see on our catalog other [generator](#).

Images and technical data are not binding.

Product features:

Phase: Single phase / Three phase

Maximum power three phase (KW): 220

Continuous power three phase (KW): 200

Maximum power three phase (KVA): 275

Continuous power three phase (KVA): 250

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 400/230

Engine: Baudouin 6M16G275-5

Emissions Regulations: Not Emitted

Engine rpm (rpm): 1500

Speed governor: Electronic

Starting system: Electric



Engine capacity (cm³): 9726

Number cylinders: 6

Cooling: Water

Alternator: Mecc Alte

Poles: 4

Product dimensions (mm): 3800x1200x2000

Fuel tank capacity (L): 370

Acoustic pressure: 70 dB(A) at 7 m

Silenced: Yes

ATS Switch device : Optional

Weight (Kg): 2300

