



GENSET SILENCED 33 KVA

Product price:

7,682.00 € tax excluded

Product description:

GENSET SILENCED 33 KVA

SILENCED GENERATOR 33 KVA: Power and Reliability at your fingertips

The SILENCED GENERATING UNIT 33 KVA is a powerful electric generator designed to provide reliable and silent emergency or continuous power. With a maximum output of 33 kVA and a Baudouin 4M06G35/5 diesel engine, this generator set is the ideal solution for a wide range of applications, both domestic and industrial.

Key features:

Powerful and reliable: The Baudouin diesel engine ensures high performance and a long service life.

Quiet: Thanks to its soundproof housing, the noise level at 7 metres is only 70 dB(A), ensuring discrete operation.

Versatile: The 230V/400V output voltage and 50 Hz frequency make it compatible with most household appliances and equipment.

Autonomy: The 100-litre tank guarantees a long operating autonomy.

Compact dimensions: With its small size (2100x870x1165 mm), it can be easily transported and installed.

Low emissions: The engine complies with emission regulations, respecting the environment.

Technical characteristics SILENCED ELECTRROGEN GROUP 33 KVA:

Type of phase: Three-phase

Three-phase continuous power: 24 kW



Three-phase continuous power: 30 kVA Maximum three-phase LTP power: 26.4 kW Maximum three-phase LTP power: 33 kVA

Fuel: Diesel

Voltage: 230V/400V Frequency: 50 Hz

Manufacturer and type: Baudouin 4M06G35/5

1500 rpm

Displacement: 2300 cc.

Alternator MECC ALTE ECP28-VL4 4 poles

Noise level at 7 m: 70 dB(A)

Tank: 100 Lt. Length: 2100 mm Width: 870 mm Height: 1165 mm

Dry weight: 940 Kg. approx. Emission level: not emitted

If you are looking for a product with similar characteristics **CLICK HERE**.

Non-binding images and technical data.

Product features:

Phase: Three phase

Maximum power three phase (KW): 26.4 Continuous power three phase (KW): 24 Maximum power three phase (KVA): 33 Continuous power three phase (KVA): 30

Fuel: Diesel

Frequency (Hz): 50 Voltage (V): 230 / 400

Engine: Baudouin 4M06G35/5

Emissions Regulations: Not Emitted

Engine rpm (rpm): 1500 Speed governor: Electronic Starting system: Electric Engine capacity (cm³): 2300

Number cylinders: 4

Alternator: MECC ALTE ECP28-VL/4

Poles: 4

Protection degree: IP23 Motor insulation class: H



Fuel tank capacity (L): 100

Consumption (L/h): 5.61 at 75% of the load

Acoustic pressure: 70 dB(A) at 7 m

Length (mm): 2100 Width (mm): 870 Height (mm): 1165 Dry weight (Kg): 940

Silenced: Yes

ATS Switch device : Optional Engine manufacturer: Baudouin

