



# VISA F105GXLVM SILENCED GENSET 100 KVA STAGE V

Product price:

**33,630.00 € tax excluded**

## Product description:

### VISA F105GXLVM SILENCED GENSET 100 KVA STAGE V

VISA Genset F105GXLVM is a state-of-the-art three-phase genset designed to provide a reliable and silent power supply, even under the most demanding conditions. With a continuous power output of 80 kW and an FPT-IVECO F36ETVP03 engine that complies with Stage V emissions regulations, this genset is the ideal solution for a wide range of applications, in both industrial and civil applications.

#### Key features *VISA Genset F105GXLVM*:

**Powerful and reliable:** The FPT-IVECO F36ETVP03 4-cylinder engine ensures high performance and a long service life.

**Quiet:** Thanks to the Visa silencer model, the noise level is extremely low, ensuring discrete operation.

**Versatile:** The 400 V output voltage and 50 Hz frequency make it compatible with most electrical appliances.

**Economical:** Its low consumption of 20.8 litres/hour at 75% load makes it a cost-effective solution.

**Robust:** The solid construction and high-quality components guarantee a long service life.

**Environmentally friendly:** Compliant with Stage V emissions regulations.

#### Why choose the *VISA Genset F105GXLVM*?

**Construction:** Ideal for powering construction equipment and lighting.



Agriculture: Perfect for powering agricultural machinery and irrigation systems.

Events: Suitable for powering sound systems, lighting and other equipment during outdoor events.

Industry: Provides emergency or continuous power for production processes.

### **Technical characteristics *VISA Genset F105GXLVM*:**

Phase type: Three-phase

Three-phase continuous power: 100 KVA

Three-phase continuous power: 80 KW

Voltage: 400 V

Frequency: 50 Hz

Motor: FPT-IVECO - F36ETVP03

Engine speed: 1500 rpm

Starting: Electric

Consumption: 20.8 Lt/h at 75% load

Length: 3060 mm

Width: 1200 mm

Height: 2200 mm

Fuel tank: 360 L

Supersilenced

Number of cylinders: 4

Cooling: Water

Electronic Regulator: Standard

Stage V

Silencer Model: Visa

sound pressure: 65dBA(+/-3)@7m

If you are looking for a product such as the VISA then you can browse the entire VISA [generator](#) range or other types of products in our catalogue to find the one that best suits your needs.

Images and technical data are not binding.

### **Product features:**

Phase: Three phase

Continuous power three phase (KW): 80

Continuous power three phase (KVA): 100

Frequency (Hz): 50

Voltage (V): 400

---



---

Engine: FPT-IVECO - F36ETVP03  
Emissions Regulations: Stage 5  
Engine rpm (rpm): 1500  
Starting system: Electric  
Engine capacity (cm<sup>3</sup>): 3600  
Number cylinders: 4  
Cooling: Water  
Tank capacity (L): 360  
Consumption (L/h): at 75% (P.R.P.) 20.8 l/h  
Acoustic pressure: 65 dB(A) at 7 m  
Length (mm): 3060  
Width (mm): 1200  
Height (mm): 2200  
Silenced: Yes  
Product type: Generator  
Engine manufacturer: FPT Iveco