



Green Power GP110S-I-SV Generator 100KVA Supersilenced STAGE V

Product price:

29,795.00 € tax excluded

Product description:

Green Power GP110S-I-SV Generator 100KVA Supersilenced STAGE V

Green Power GP110S-I-SV Generator 100KVA Supersilenced STAGE V is a next-generation unit designed to deliver exceptional performance and extremely quiet operation. With a continuous power output of 80 kW and an IVECO FTT F36ETVP03.A94 engine, compliant with Stage V emissions regulations, this Green Power GP110S-I-SV generator is the ideal solution for a wide range of applications, both industrial and civil.

Main Features of Green Power GP110S-I-SV:

Flexibility: Thanks to its ability to supply both single-phase and three-phase voltage, this Green Power GP110S-I-SV generator adapts to various needs.

Power: With a continuous power output of 80 kW, it can power a wide range of equipment and machinery.

Quiet Operation: Green Power GP110S-I-SV Generator 100KVA Supersilenced design and careful soundproofing ensure an extremely low noise level, making it ideal for noise-sensitive environments.

Efficiency: The IVECO engine guarantees excellent efficiency and low fuel consumption.

Compact and Handy: Its compact size facilitates transport and installation.

Eco-Friendly: Thanks to compliance with Stage V regulations, this Green Power GP110S-I-SV generator meets the strictest emission standards.

Main Specifications of Green Power GP110S-I-SV STAGE V:

Phase Type: Single-phase / Three-phase

Continuous Power: 100 KVA / 80 KW

Maximum Power: 100 KVA / 80 KW

Engine: IVECO FTT F36ETVP03.A94



Engine Speed: 1500 rpm
Emission Standard: Stage V
Starting System: Electric
Terminal Voltage: 230 / 400 V
Frequency: 50 Hz
Fuel Tank Capacity: 170 l
Consumption at 75% Load: 23.6 Lt/h
Sound Pressure: 66 dB(A) @ 7 m
Length: 3000 mm
Width: 1100 mm
Height: 1820 mm
Dry Weight: 2000 Kg
Poles: 4
Insulation Class: H
Protection Rating: IP23
Alternator: Mecc Alte
Displacement: 3600 cc
Cylinders: 4

Looking for a GP110S-I-SV generator with different technical specifications? [CLICK HERE](#) to explore the dedicated area for specialized generator brands.

Images and technical data are not binding.

Product features:

Phase: Single phase / Three phase
Maximum power three phase (KW): 80
Continuous power three phase (KW): 80
Maximum power three phase (KVA): 100
Continuous power three phase (KVA): 100
Frequency (Hz): 50
Voltage (V): 230 / 400
Engine: IVECO FTT F36ETVP03.A94
Emissions Regulations: Stage 5
Engine rpm (rpm): 1500
Speed governor: Electronic
Starting system: Elettrico
Engine capacity (cm³): 3600
Number cylinders: 4
Alternator: MECC ALTE ECP34-2S/4C
Poles: 4
Protection degree: IP23



Shop name

Fuel tank capacity (L): 170

Consumption (L/h): 23.6 at 75% load

Acoustic pressure: 66 dB(A) at 7 m

Length (mm): 3000

Width (mm): 1100

Height (mm): 1820

Dry weight (Kg): 2000

Silenced: Yes

Super silenced: Yes

Product type: Generator

Engine manufacturer: FPT Iveco



PrestaShop