



# ITALTOWER MT55 TORRE FARO 4x160 W MULTILED (copia)

**Product price:** 

1,952.00 € tax excluded

## **Product description:**

# **LIGHTHOUSE TOWER 4x160 W MULTILED**

Torre Faro is a manually hoisted light tower equipped with 4 floodlights capable of delivering a light output of 160W each.

Torre Faro is equipped with a galvanised steel lifting tower capable of extending up to a maximum height of 5.5 metres. The tower is complete with a hand pump for raising and manual locking on each section to prevent rotation of the sections and to guarantee maximum column extension even in the absence of air inside.

Torre Faro stands out for its performance, compactness and solidity, with its 4x160W LED lights, able to compete with much bulkier lighting towers equipped with a halogen system.

The light tower is suitable for a variety of large-scale construction work, maintenance repair, accident management and disaster relief work, and high-brightness lighting needs.

Light Tower is designed to be combined with a generator set and can be connected in series in order to use one generator for several lighting units.

The lightness of the Torre Faro will also allow you to move it easily and thanks to the 4 feet, which can be removed and folded to optimise the space inside the container, you will be able to light whatever you want.

### **TECHNICAL CHARACTERISTICS Lighthouse Tower:**

Number of luminaires: 4 Lamp wattage: 160 W LED



Lumen: 81400 lm

Illuminated area: 2400 sqm

Voltage: 230 V Frequency: 50 Hz

Consumption: 4 X 160W = 0.64 KW

Maximum height: 5.5m Lifting system: Manual Wind resistance: 80 Km/h

Trolley: Stationary

Stabilisers: 4

Length (mm): 640 Width (mm): 355 Height (mm): 1920 Dry weight (kg): 95

Looking for a light tower with different technical characteristics? <u>HERE</u> you can find the entire range of specialised light towers.

Images and technical data are not binding and may be subject to revision by the manufacturer.

#### **Product features:**

Frequency (Hz): 50 Voltage (V): 230

Maximum height (m): 5.5 Type of lamps: LED

Lamps: 4 x 160 W

Telescopic pole: Vertical Illuminated area (m²): 2400 Total lumens (Lm): 81400

Lifting System: Manual lifting system Open size (mm): 2200 x 2200 x 5700

Lenght closed (mm): 355 Width closed (mm): 640 Height closed (mm): 1920

With generator / Without generator: Without generator

Transportability: Stationary

Stability to wind (Km/h): 80 Km/h

Weight (Kg): 95



