



# MOSA GE 495SSX Generator Set 500KVA 400V AVR STATIONARY USE

**Product price:**

**53.764,76 € tax excluded**

## **Product description:**

MOSA GE 495SSX 500KVA 400V Generator Set STATIONARY USE

MOSA GE 495SSX 500KVA 400V Generator Set: Power and reliability for your energy needs

The MOSA GE 495SSX is a three-phase generator set, designed to ensure reliable and continuous power supply in various industrial and commercial applications. With a maximum standby power of 500 kVA and a voltage of 400 V, this generator is capable of meeting the energy needs of a wide range of systems.

## **Main features:**

Engine with the lowest fuel consumption in its category

- Electronic engine speed regulator
- Alternator with electronic voltage regulator (AVR)
- Four-pole circuit breaker
- Sealed base to contain any leaks of fluids present in the engine, avoiding environmental pollution
- Oil extraction pump • Fuel pre-filter with water separator • Low radiator fluid level sensor
- Battery disconnect switch
- Large access doors for easy maintenance (replacement of air, oil, fuel filters)
- Two central lifting hooks • Control panel with digital control unit in Automatic or Manual version
- Ready for a wide range of setups
- Complies with CE directives

## **Technical Features:**

Stand-by three-phase power: 500 kVA (400 kW)

Voltage: 400 V





PRP three-phase power: 450 kVA (360 kW)

COP three-phase power: 350 kVA (280 kW)

Frequency: 50 Hz

Tank capacity: 580 lt.

Autonomy (75% of PRP): 8.8 h

Acoustic power LwA (pressure LpA): 99 dB(A) (74 dB(A) @ 7 m)

Dry weight: 4445 kg kg

Dimensions (LxWxH): 4100x1520x2180 mm

Engine: SCANIA DC13 072A 02-13

Cylinders: 6 in-line

Displacement: 12,700 cm<sup>3</sup>

Engine rpm: 1,500

Engine: SCANIA DC13 072A 02-13

Alternator: SYNCHRONOUS, THREE-PHASE, SELF-EXCITED, SELF-REGULATED, BRUSHLESS

If you are looking for a product with similar features[CLICK HERE](#).

Immagini e dati tecnici non impegnativi. Si prega sempre di consultare la scheda tecnica rilasciata dal costruttore.

La manel service non si assume la responsabilità per eventuali modifiche apportate dal produttore.

#### **Product features:**

Phase: Three phase

Maximum power three phase (KW): 400

Continuous power three phase (KW): 360

Maximum power three phase (KVA): 500

Continuous power three phase (KVA): 450

Frequency (Hz): 50

Engine: SCANIA DC13 072A 02-13

Emissions Regulations: Stationary Use

Engine rpm (rpm): 1500

Speed governor: Electronic

Alternator: SYNCHRONOUS, THREE-PHASE, SELF-EXCITED, SELF-REGULATED, BRUSHLESS

Tank capacity (L): 580

Product dimensions (mm): 4100x1520x2180

Running time (h): 8.8 at 75% of the load

Acoustic pressure: 99 dB(A) (74 dB(A) @ 7m

Voltage regulator: AVR





Weight (Kg): 4445

Voltaggio: 400volt