

Ø.

PRAMAC GSW15P COFANATO CON QUADRO COMANDO AUTOMATICO

Product price:

8.304,00 € tax excluded

Product description:

Product features:

Phase: Three phase Maximum power three phase (KW): 11.45 Continuous power three phase (KW): 10.33 Maximum power three phase (KVA): 14.31 Continuous power three phase (KVA): 12.91 Fuel: Diesel Frequency (Hz): 50 Voltage (V): 400 Sockets configuration: 1 x 400V 32A 3P+N+T CEE Engine: PERKINS 403D-15G, naturally aspirated Speed governor: Mechanical Starting system: Electric Engine capacity (cm³): 1496 Number cylinders: 3 Cylinders' position: In line Oil capacity (L): 6 Cooling: Water Alternator: Mecc Alte ECP3-2L, brushless Poles: 4 Fuel tank capacity (L): 68 Consumption (L/h): 2.7 at 75% of the load / 3.6 at 100% of the load Running time (h): 24.8 at 75% of the load / 18.9 at 100% of the load Acoustic power: 87 dB(A)

Acoustic pressure: 58 dB(A) at 7 m Length (mm): 1800 Width (mm): 850 Height (mm): 1260 Dry weight (Kg): 745 Silenced: Yes Super silenced: Yes Product type: Generator ATS Switch device : Optional Voltage regulator: AVR Engine manufacturer: Perkins

R

