



# MOSA MPC80K Motor Pump Clear Water 1050L/min

Product price:

**295.00 € tax excluded**

## Product description:

### MOSA MPC80K Motor Pump Clear Water 1,050L/min

The MOSA MPC80K Clear Water Motor Pump 1050L/min is a high-performance gasoline pump designed for the efficient transfer of large volumes of clear water. With a powerful engine and high flow rate, this pump is ideal for a wide range of applications, including agricultural irrigation, draining large areas, industrial water supply and much more.

#### *Key Features:*

**High Flow Rate:** With a delivery volume of 1050 L/min, the MOSA MPC80K is able to handle large quantities of water quickly and efficiently, reducing work time.

**Powerful Engine:** The 4-stroke KOSHIN K180 air-cooled gasoline engine offers high and reliable performance, ensuring constant operation even in difficult conditions.

**Remarkable Suction Lift:** The suction capacity of up to 8 meters allows water to be drawn from various sources, such as wells, rivers or tanks.

**Robust and Durable:** The sturdy and compact structure, with dimensions of 528 x 412 x 448 mm and a weight of 28.7 kg, ensures long life and easy transport.

**Easy Start:** The recoil start makes starting the engine simple and fast, even in emergency situations.

**Long Run Time:** The 3.6 liter fuel tank allows for continuous operation of about 2.1 hours, reducing the need for frequent refueling.

**Versatile:** Suitable for clear water with a maximum solid particle size of 7 mm and a temperature between 5 and 45 °C, making it suitable for various applications.

#### Technical features MOSA MPC80K:

Suction connection diameter: 80 mm (3 in)



connection diameter - discharge 80 mm (3 in)  
Connection thread: BSP external pipe thread  
Delivery volume: 1,050 L/min  
Max. suction lift: 8 m  
Engine: 4-stroke air-cooled gasoline engine  
Model: KOSHIN K180  
Displacement: 179 cm<sup>3</sup>  
Nominal power: 3.1 kW (4.2 PS) / 3,600 rpm  
Max power: 3.5 kW (4.8 PS) / 3,600 rpm  
Fuel: Unleaded petrol for cars  
Fuel tank capacity: 3.6 L tank capacity  
Continuous running time: Approximately 2.1 hours  
Starting method: Recoil start  
Viscosity: Clear water  
Max solid particle size: 7 mm  
Temperature: 5-45 °C  
Net weight: 28.7 kg  
Product dimensions L x W x H: 528 x 412 x 448 mm

If you are looking for a product with similar features [CLICK HERE.](#)

Images and technical data are purely indicative.

**Product features:**

Fuel: Gasoline  
Engine: KOSHIN K180  
Engine rpm (rpm): 3.600  
Starting system: Pull starter  
Engine capacity (cm<sup>3</sup>): 179  
Nominal power continuous: 3,1 kW  
Product dimensions (mm): 528 x 412 x 448  
Total head (m): 27  
Fuel tank capacity (L): 3.6  
Net weight kg: 28.7  
connection diameter: Aspirazione: 80 mm (3 in)  
Connection thread: BSP external pipe thread  
delivery volume: 1.050 L/min  
Maximum suction head: 8 m  
Motor type: Air-cooled 4-stroke petrol engine  
Max Rated Power: 3,5 kW  
tempo di funzionamento: 2,1 ore circa

---



Shop name

Viscosity: Clear water

Connection diameter - Drain: 80 mm (3 in)



PrestaShop