



# MOSA MPC80H Clearwater Motor Pump 1100L/min

**Product price:** 

491.00 € tax excluded

# **Product description:**

# MOSA MPC80H Clear Water Motor Pump 1100L/min

The MOSA MPC80H Clear Water Motor Pump 1100L/min is a high-performance gasoline pump designed for the efficient transfer of large volumes of clear water. With a HONDA GX160 engine and a high flow rate, this pump is ideal for a wide range of applications, including agricultural irrigation, draining large areas, industrial water supply and much more.

# **Key Features:**

**High Flow Rate:** With a delivery volume of 1100 L/min, the MOSA MPC80H is able to handle large quantities of water quickly and efficiently, reducing work time.

**Reliable Engine:** The 4-stroke HONDA GX160 air-cooled gasoline engine offers high and reliable performance, ensuring constant operation even in difficult conditions.

**Remarkable Suction Lift:** The suction capacity of up to 8 meters allows water to be drawn from various sources, such as wells, rivers or tanks.

**Robust and Durable:** The sturdy and compact structure, with dimensions of 510 x 376 x 453 mm and a weight of 28.7 kg, ensures long life and easy transport.

Easy Start: The recoil start makes starting the engine simple and fast, even in emergency situations.

**Long Run Time:** The 3.6 liter fuel tank allows for continuous operation of about 2 hours, reducing the need for frequent refueling.

**Versatile:** Suitable for clear water with a maximum solid particle size of 7 mm and a temperature between 5 and 45 °C, making it suitable for various applications.

## **Technical features** MOSA MPC80H:

Suction connection diameter: 80 mm (3 in)

Fitting diameter - Drain: 80 mm (3 in)



Total head: 27 m

Connection thread: BSP external pipe thread

Delivery volume: 1,100 L/min

Max. suction lift: 8 m

Engine: 4-stroke air-cooled gasoline engine

Model: HONDA GX160 Displacement: 163 cm3

Nominal power: 3.1 kW (4.2 PS) / 3,600 rpm Max power: 3.5 kW (4.8 PS) / 3,600 rpm

Fuel: Unleaded petrol for cars

Fuel tank capacity: 3.6 L tank capacity

Continuous running time: Approximately 2 hours

Starting method: Recoil start

Viscosity: Clear water

Max solid particle size: 7 mm

Temperature: 5-45 °C Net weight: 28.7 kg

Product dimensions L x W x H: 510 x 376 x 453 mm

If you are looking for a product with similar features **CLICK HERE**.

Images and technical data are purely indicative.

### **Product features:**

Fuel: Gasoline

Engine: HONDA GX160 Engine rpm (rpm): 3.600 Starting system: Pull starter Engine capacity (cm³): 163

Nominal power continuous: 2.9 kW

Product dimensions (mm): 510 x 376 x 453

Total head (m): 27

Fuel tank capacity (L): 3.1

Net weight kg: 28

connection diameter: Aspirazione: 80 mm (3 in) Connection thread: BSP external pipe thread

delivery volume: 1.100 L/min Maximum suction head: 8 m

Motor type: Air-cooled 4-stroke petrol engine

Max Rated Power: 3,6 kW

tempo di funzionamento: approx. 2 hours



Viscosity: Clear water Connection diameter - Drain: 80 mm (3 in)

