



# MOSA MPC80H Clearwater Motor Pump 1100L/min

Product price:

**491,00 € tax excluded**

## Product description:

### MOSA MPC80H Clear Water Motor Pump 1100L/min

The MOSA MPC80H Clear Water Motor Pump 1100L/min is a high-performance gasoline pump designed for the efficient transfer of large volumes of clear water. With a HONDA GX160 engine and a high flow rate, this pump is ideal for a wide range of applications, including agricultural irrigation, draining large areas, industrial water supply and much more.

## Key Features:

**High Flow Rate:** With a delivery volume of 1100 L/min, the MOSA MPC80H is able to handle large quantities of water quickly and efficiently, reducing work time.

**Reliable Engine:** The 4-stroke HONDA GX160 air-cooled gasoline engine offers high and reliable performance, ensuring constant operation even in difficult conditions.

**Remarkable Suction Lift:** The suction capacity of up to 8 meters allows water to be drawn from various sources, such as wells, rivers or tanks.

**Robust and Durable:** The sturdy and compact structure, with dimensions of 510 x 376 x 453 mm and a weight of 28.7 kg, ensures long life and easy transport.

**Easy Start:** The recoil start makes starting the engine simple and fast, even in emergency situations.

**Long Run Time:** The 3.6 liter fuel tank allows for continuous operation of about 2 hours, reducing the need for frequent refueling.

**Versatile:** Suitable for clear water with a maximum solid particle size of 7 mm and a temperature between 5 and 45 °C, making it suitable for various applications.

## Technical features *MOSA MPC80H:*

Suction connection diameter: 80 mm (3 in)





Fitting diameter - Drain: 80 mm (3 in)  
Total head: 27 m  
Connection thread: BSP external pipe thread  
Delivery volume: 1,100 L/min  
Max. suction lift: 8 m  
Engine: 4-stroke air-cooled gasoline engine  
Model: HONDA GX160  
Displacement: 163 cm<sup>3</sup>  
Nominal power: 3.1 kW (4.2 PS) / 3,600 rpm  
Max power: 3.5 kW (4.8 PS) / 3,600 rpm  
Fuel: Unleaded petrol for cars  
Fuel tank capacity: 3.6 L tank capacity  
Continuous running time: Approximately 2 hours  
Starting method: Recoil start  
Viscosity: Clear water  
Max solid particle size: 7 mm  
Temperature: 5-45 °C  
Net weight: 28.7 kg  
Product dimensions L x W x H: 510 x 376 x 453 mm

If you are looking for a product with similar features [CLICK HERE](#).

Images and technical data are purely indicative.

#### **Product features:**

Fuel: Gasoline  
Engine: HONDA GX160  
Engine rpm (rpm): 3.600  
Starting system: Pull starter  
Engine capacity (cm<sup>3</sup>): 163  
Nominal power continuous: 2.9 kW  
Product dimensions (mm): 510 x 376 x 453  
Total head (m): 27  
Fuel tank capacity (L): 3.1  
Net weight kg: 28  
connection diameter: Aspirazione: 80 mm (3 in)  
Connection thread: BSP external pipe thread  
delivery volume: 1.100 L/min  
Maximum suction head: 8 m  
Motor type: Air-cooled 4-stroke petrol engine  
Max Rated Power: 3,6 kW





tempo di funzionamento: approx. 2 hours

Viscosity: Clear water

Connection diameter - Drain: 80 mm (3 in)

