



# Generator Set Silent Version with Automatic Control Panel 33KVA

**Product price:** 

7,800.00 € tax excluded

### **Product description:**

#### GENERATOR SET SILENT VERSION WITH AUTOMATIC CONTROL PANEL 33KVA

The Generator Set Silent Verision with Automatic Control Panel 33KVA is a powerful, silent, and reliable solution, perfect for meeting energy needs in residential and industrial settings. With a maximum power of 33 KVA and a continuous power of 30 KVA, this three-phase generator provides constant and safe energy support, even during the most demanding operations.

Thanks to the Baudouin 4M06G35/5 engine, with 2300 cc and 3 cylinders, the Generator Set Silent Verision with Automatic Control Panel 33KVA delivers high performance, with perfect RPM management via the electronic governor. With a low consumption of 5.4 liters/h at 75% load, the 100-liter tank ensures extraordinary autonomy of 8.5 hours, minimizing the need for frequent refueling.

#### **Technical Features of Generator Set Silent Verision with Automatic Control Panel 33KVA:**

Maximum three-phase power: 33 KVA

Continuous three-phase power: 30 KVA

Engine type: Baudouin 4M06G35/5 (2300 cc, 3 cylinders)

RPM governor: Electronic

Engine speed: 1500 rpm

Fuel: Diesel

Fuel consumption: 5.4 L/h at 75% load



Autonomy: 8.5 hours at 75% load

Fuel tank: 100 liters

Dimensions: 1800 mm (length) x 850 mm (width) x 1275 mm (height)

Weight: 785 kg

#### Superlative Silence

Thanks to the silent version, the generator operates at only 69 dB(A) at 7 meters, one of the best noise performances in its sector. Ideal for noise-sensitive environments, this generator offers discrete operation without compromising power.

#### Simple and Safe Control

The optional automatic electric panel (COMAP InteliLite 9) allows complete monitoring, with a control unit featuring a backlit LCD display. You can easily check:

Voltage (V)

Current (A)

Frequency (Hz)

kVA

## Battery Status Generator Set Silent Verision with Automatic Control Panel 33KVA

The IP44 protection and alarms for low fuel level, overvoltage, and alternator failure ensure safe operation in any condition.

#### **Durable and Robust**

The Generator Set Silent Verision with Automatic Control Panel 33KVA is built to withstand even the most challenging environments:

High-quality materials: Carbon steel sheet with thicknesses between 1.5 and 4.5 mm.

Self-supporting frame: Sturdy and durable, ideal for resisting stress and vibrations.



Lifting system: Easy to transport with 4 lifting eyes.

Support feet: With holes for securing to the ground for greater stability.

The Generator Set Silent Verision with Automatic Control Panel 33KVA is the perfect solution for those seeking power, efficiency, silence, and safety in a highly reliable generator. With optimal performance and a robust build, it is the ideal partner for any application, from industrial to residential environments.

Looking for a product like the Silent Generator with Automatic Panel 33KVA but with different features? CLICK HERE to view the entire range of Generators.

Images and technical data are non-binding.

#### **Product features:**

Phase: Three phase

Maximum power three phase (KW): 26.4 Continuous power three phase (KW): 24 Maximum power three phase (KVA): 33 Continuous power three phase (KVA): 30

Fuel: Diesel

Frequency (Hz): 50 Voltage (V): 400

Sockets configuration: Morsettiera Engine: Baudouin 4M06G35/5

Emissions Regulations: Stationary Use

Engine rpm (rpm): 1500 Speed governor: Electronic Starting system: Elettrico Engine capacity (cm³): 2300

Number cylinders: 3

Cooling: Water

Alternator: Self-excited, brushless

Poles: 4

Protection degree: IP44
Bore x stroke (mm): 89 x 92
Fuel tank capacity (L): 100

Consumption (L/h): 5.4 al 75% del carico Running time (h): 18.5 at 75% of the load

Acoustic pressure: 69 dB(A) at 7 m

Length (mm): 1800 Width (mm): 850



Height (mm): 1275 Dry weight (Kg): 785

Silenced: Yes

Super silenced: Yes Product type: Generator ATS Switch device : Optional

Voltage regulator: AVR

Engine manufacturer: BAUDOUIN

Power factor control: 0.8 Voltage precision: ± 1 %

