



CGM 100B Gruppo Elettrogeno Trifase 400v 110KVA 120LT

Product price:

40,000.00 € tax excluded

Product description:

CGM 100B Three-Phase Generator 400v 110KVA 120LT

CGM Generator set Three-Phase 400v 110KVA 120LT is a powerful and reliable solution for three-phase power needs, designed to provide continuous or emergency power in a variety of applications. With a **maximum three-phase power of 110 KVA (88 KW)**, this generator set is capable of handling high loads and ensuring operational continuity in critical situations.

The heart of this generator is a **Baudouin 4M11G120/5** engine, a robust and reliable 4-cylinder diesel engine with a displacement of 4500 cm³ and a bore x stroke of 105 x 130 mm. The engine is water-cooled and equipped with an electronic speed governor for optimal stability. The electric start facilitates the generator set's ignition, while the 1500 rpm ensures efficient operation.

The alternator, available in **STAMFORD, MECC ALTE or MARELLI MOTORI** variants, guarantees stable and high-quality power production. The AVR (Automatic Voltage Regulator) voltage regulator maintains the voltage at 400V, with a frequency of 50Hz, ideal for industrial and commercial applications.

The **120-liter fuel tank** offers an autonomy of approximately 7 hours with a consumption of 23 liters per hour at 100% load. The silenced version of the generator set keeps the sound pressure at 69 dB(A) at 7 meters, making it suitable even for noise-sensitive environments.

The **compact dimensions** (2500 x 1050 x 1590 mm) and the **weight of 1525 kg** facilitate installation and transport. The optional ATS (Automatic Transfer Switch) switch panel allows automatic switching to emergency power in case of power failure.

Technical Features:

Phase type: Three-phase

Maximum three-phase power (KVA): 110



Fuel: Diesel

Frequency (Hz): 50 Voltage (V): 400

Engine: Baudouin 4M11G120/5

Engine speed (rpm): 1500 Speed controller: Electronic

Starting: Electric

Displacement (cm³): 4500 Number of cylinders: 4

Cooling: Water

Alternator: STAMFORD - MECC ALTE - MARELLI MOTORI

Fuel tank capacity (L): 120

Consumption (L/h): 23 at 100% load

Autonomy (h): 7

Sound pressure: 69 dB(A) at 7 m

Length (mm): 2500 Width (mm): 1050 Height (mm): 1590 Weight (Kg): 1525

Silenced: Yes

Bore x stroke (mm): 105 x 130 Product type: Generator set ATS switch panel: Optional Voltage regulator: AVR

Engine brand: Baudouin

Emission standard: Non-Emissioned Maximum three-phase power (KW): 88

If you are looking for a product with different features **CLICK HERE**.

Images and technical data are not binding.

Product features:

Phase: Three phase

Maximum power three phase (KW): 88 Maximum power three phase (KVA): 110

Fuel: Diesel

Frequency (Hz): 50 Voltage (V): 400

Engine: Baudouin 4M11G120/5



Emissions Regulations: NON EMISSIONATO

Engine rpm (rpm): 1500 Speed governor: Electronic Starting system: Elettrico Engine capacity (cm³): 4500

Number cylinders: 4 Cooling: Water

Alternator: STAMFORD - MECC ALTE - MARELLI MOTORI

Bore x stroke (mm): 105 x 130 Fuel tank capacity (L): 120

Consumption (L/h): 23 at 100% of the load

Running time (h): 7

Acoustic pressure: 69 dB(A) at 7 m

Length (mm): 2500 Width (mm): 1050 Height (mm): 1590

Silenced: Yes

Product type: Generator ATS Switch device : Optional

Voltage regulator: AVR

Engine manufacturer: BAUDOUIN

Weight (Kg): 1525