



Shop name



GENERATOR SET 44KVA SILENT STAGEV

Product price:

14,703.00 € tax excluded

Product description:

44KVA Silenced Generator Set STAGEV

44KVA Silenced Generator Set STAGEV is a high-quality three-phase generator, designed to provide reliable and quiet power in a wide range of applications. With a maximum power of 44 kVA (40 kW), this generator set is ideal for powering construction sites, outdoor events, emergency situations and other applications that require a stable and quiet power source.

Key Features:

YANMAR Stage V Engine:

The YANMAR 4TNV98C engine ensures high efficiency and low emissions, in compliance with Stage V regulations.

The engine speed of 1500 rpm ensures stable and constant power delivery.

LINZ Alternator:

The LINZ PRO18 ME/4 alternator provides a stable voltage of 230/400V at 50Hz, ensuring compatibility with various equipment.

Superior Quietness:

Thanks to its super silenced configuration, this generator set produces only 62 dB(A) at 7 meters, making it ideal for noise-sensitive environments.

Autonomy and Capacity:

The 120-liter fuel tank offers excellent autonomy, with a consumption of 7.2 lt/h at 75% load.



Robust and Reliable Design:

With a dry weight of 1280 Kg and dimensions of 2260x900x1420 mm, this generator set is built to last.

Water cooling ensures efficient operation even under high load conditions.

Advanced Functionality:

Electronic speed governor for optimal stability.

Electric start for easy and quick start-up.

Technical Specifications:

Phase type: Single phase/Three phase

Maximum three-phase power: 40 kW

Maximum three-phase power: 44 kVA

Frequency: 50 Hz

Voltage: 230 / 400 V

Engine: YANMAR 4TNV98C

Engine speed: 1500 rpm

Speed governor: Electronic

Start: Electric

Displacement: 3319 cm³

Number of cylinders: 4

Cooling: Water

Alternator: LINZ PRO18 ME/4

Number of poles: 4

Fuel tank capacity: 120 liters

Consumption: 7.2 lt/h (specific consumption at 75% load)

Sound pressure: 62 dB(A) at 7 meters

Length: 2260 mm

Width: 900 mm

Height: 1420 mm

Dry weight: 1280 Kg

Silenced: Yes

Super silenced: Yes

Product type: Generator set

Engine brand: LINZ

Emission standard: Stage 5

If you are looking for a product with similar characteristics click [HERE](#).



Images and technical data are not binding. Always consult the technical data sheet issued by the manufacturer.

Manel Service does not assume responsibility for any changes made by the manufacturer.

Product features:

Phase: Single phase / Three phase

Maximum power three phase (KW): 40

Maximum power three phase (KVA): 44

Frequency (Hz): 50

Voltage (V): 230 / 400

Engine: YANMAR 4TNV98CT

Emissions Regulations: Stage 5

Engine rpm (rpm): 1500

Speed governor: Electronic

Starting system: Elettrico

Engine capacity (cm³): 3319

Number cylinders: 4

Cooling: Water

Alternator: LINZ PRO18 ME/4

Poles: 4

Fuel tank capacity (L): 120

Consumption (L/h): 7.2 lt/h Specific consumption at 75% load

Acoustic pressure: 62 dB(A) at 7 m

Length (mm): 2260

Width (mm): 900

Height (mm): 1420

Dry weight (Kg): 1280

Silenced: Yes

Super silenced: Yes

Product type: Generator

Engine manufacturer: LINZ

