



# HONDA UMR 450 T Brushcutter



Product price:

**541,00 € tax excluded**

## Product description:

HONDA UMR 450 T Brush Cutter

The **HONDA UMR 450 T Brush Cutter** is a powerful and versatile gardening tool equipped with a Honda GX50 4T - OHC 4-stroke engine, featuring a displacement of 48 cm<sup>3</sup>. This **HONDA UMR 450 T Brush Cutter** offers high performance with a net power of 1.47 kW achievable at 7000 rpm.

Designed for operator comfort, the **HONDA UMR 450 T Brush Cutter** features a loop handle and an additional D-handle, combined with a comfortable shoulder harness that facilitates prolonged use. The transmission of this **HONDA UMR 450 T Brush Cutter** takes place via a centrifugal clutch and a flexible shaft, ensuring efficiency and maneuverability.

With a length of 2810 mm, a width of 365 mm and a height of 600 mm, the **HONDA UMR 450 T Brush Cutter** has a weight of 11.7 Kg. It comes complete with essential accessories, including a nylon tap and go head and a 3-point blade, making it immediately ready to tackle different types of vegetation. The **HONDA UMR 450 T Brush Cutter** has a fuel tank with a capacity of 0.63 litres and requires 0.1 litres of oil.

## Technical Features:

Engine GX50 4T - OHC 4-stroke

Displacement (cm<sup>3</sup>) 48

Grip Ring





Engine Brand Honda

D-grip

Shaft Type Flexible

Accessories Tap-and-go nylon head and 3-point blade

Harness Comfortable, shoulder-mounted

Length (mm) 2810

Width (mm) 365

Height (mm) 600

Weight (Kg) 11.7

Net power (kW) 1.47

Engine speed (rpm) 7000

Fuel tank capacity (L) 0.63

Oil capacity (L) 0.1

Transmission type Centrifugal clutch

If you are looking for a product similar to HONDA UMR 450 T [CLICK HERE](#).

Images and technical data are not binding. Please always consult the technical data sheet issued by the manufacturer. Manel Service does not assume responsibility for any changes made by the manufacturer or any typing errors.

**Product features:**

Engine: GX50 4T - OHC 4 stroke

Engine rpm (rpm): 7000

Engine capacity (cm<sup>3</sup>): 48

Oil capacity (L): 0.1





Transmission: Centrifugal clutch

Net power (kW): 1.47

Fuel tank capacity (L): 0.63

Length (mm): 2810

Width (mm): 365

Height (mm): 600

Shaft type: Flexible

Handle: Ring

Engine manufacturer: Honda

Weight (Kg): 11.7

Accessories: Tap and go nylon head and 3-point blade

Harness: Confortevole, a spalle