



CUMMINS C550D5Q Generator Set 550KVA Silent Version

Product price:

60.180,00 € tax excluded

Product description:

CUMMINS C550D5Q GENERATOR SET 550KVA SILENCED VERSION

CUMMINS C550D5Q Generator Set 550KVA Silenced Version: Reliable and Quiet Power

The CUMMINS C550D5Q Generator Set 550KVA Silenced Version is the ideal solution for three-phase applications that require high performance, reliability and discreet operation. Designed for stationary use, this generator combines the robustness of the Cummins engine with a soundproof design to ensure continuity of power with minimal noise impact.

Designed to ensure continuous operation without interruptions, even in variable load performance.

Equipped with all the necessary protections, this generator is a symbol of safety and performance for any energy need.

Technical characteristics CUMMINS C550D5Q:

Phase type: Three phase

Maximum three phase power: 440 KW

Continuous three phase power: 400 KW

Maximum three-phase power: 550 KVA

Continuous three-phase power: 500 KVA

Fuel: Diesel





Frequency: 50 Hz

Voltage: 230 / 400 V

Engine: Cummins QSZ13-G10, 4-stroke, in-line, turbocharged and charge air-cooled

Engine speed: 1500 rpm

Number of cylinders: 6

Cylinder Arrangement: In-Line

Cooling: Radiator

Length: 4515 mm

Width: 1770 mm

Height: 2600 mm

Dry Weight: 5235 Kg

Silent: Yes

Brushes: NO

Product Type: Generator

Control unit: PowerCommand 2.2

Engine brand: Cummins

Voltage regulation accuracy: $\pm 1\%$

Bore: 130 mm

Tank capacity: 995 L

Consumption: 70.2 L/h at 75% load

Emissions standard: Stationary use

Are you looking for a generator with different technical characteristics? [HERE](#) you can find the entire range of CUMMINS generators and other specialized brands.





The images and technical data are not binding and may be subject to revisions by the manufacturer.

Images and technical data are not binding. Please always consult the technical data sheet released by the manufacturer.

Manel Service does not assume responsibility for any changes made by the manufacturer.

Product features:

Phase: Three phase

Maximum power three phase (KW): 440

Continuous power three phase (KW): 400

Maximum power three phase (KVA): 550

Continuous power three phase (KVA): 500

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 230 / 400

Engine: Cummins QSZ13-G10, 4-stroke, in-line, turbocharged and charge air-cooled

Emissions Regulations: Stationary Use

Engine rpm (rpm): 1500

Number cylinders: 6

Cylinders' position: In line

Cooling: Radiator

Alternator: Stamford S5L1S-D4

Tank capacity (L): 995

Consumption (L/h): 70.2 at 75% load

Length (mm): 4515

Width (mm): 1770

Height (mm): 2600

Dry weight (Kg): 5235

Silenced: Yes

Brushes: No

Product type: Generator

Control unit: PowerCommand 2.2

Engine manufacturer: Cummins

Precision of voltage regulation: $\pm 1\%$

Bore (mm): 130

