



Generator Set 710kVA Silenced 370L

Product price:

58,670.00 € tax excluded

Product description:

Soundproof Generator 710kVA 370L

The Soundproof Generator 710kVA 370L is designed to provide constant and safe electrical power in any situation. Thanks to the powerful Hyundai engine and the Leroy Somer alternator, this generator guarantees high performance and operational continuity, becoming an indispensable support for companies, construction sites, and facilities requiring high power.

The super soundproof canopy minimizes acoustic impact, making the Soundproof Generator 710kVA 370L suitable not only for industrial environments but also for urban contexts or events where silence is essential. Robust, efficient, and easy to manage, it combines power and reliability in a single professional solution.

Main features – Soundproof Generator 710kVA 370L:

Three-phase maximum power: 710 KVA Continuous three-phase power: 568 KW

Fuel: Diesel

Voltage: 230/400 V

Engine: HYUNDAI DP180LB Fuel tank capacity: 370 L

Alternator: Leroy Somer TAL0473 F

Starting: Automatic Length: 5000 mm Width: 1900 mm Height: 2350 mm Weight: 5690 Kg

Power, efficiency and silence in a single Soundproof Generator 710kVA 370L:

The Soundproof Generator 710kVA 370L has been designed to ensure maximum operational



continuity in every situation. The combination of the powerful Hyundai engine and the Leroy Somer alternator delivers consistent and long-lasting performance, while the super soundproof canopy drastically reduces noise, making it suitable even in environments where noise is a critical factor.

The construction quality of the Soundproof Generator 710kVA 370L is built to last: powder-coated carbon steel, class 1 sound-absorbing materials, and anti-vibration systems guarantee strength and stability even under the toughest conditions. Every detail, from reinforced access doors to integrated safety systems, has been designed to make use and maintenance easier.

Looking for a generator with different technical features? <u>CLICK HERE</u> to explore the section dedicated to generators from leading specialized brands.

Product features:

Phase: Three phase

Maximum power three phase (KW): 568 Continuous power three phase (KW): 568 Maximum power three phase (KVA): 710 Continuous power three phase (KVA): 640

Fuel: Diesel

Frequency (Hz): 50 Voltage (V): 230 / 400

Engine: HYUNDAI DP180LB

Emissions Regulations: NON EMISSIONATO

Engine rpm (rpm): 1500 Speed governor: Electronic Starting system: Automatico Engine capacity (cm³): 18273

Number cylinders: 10 Cylinders' position: In line

Cooling: Water

Alternator: Leroy Somer TAL0473 F

Poles: 4

Protection degree: IP23 Fuel tank capacity (L): 370

Consumption (L/h): 103.8 Lt/h al 75% del carico

Running time (h): 3.34 h al 75% del carico

Acoustic pressure: 75 dB(A) at 7 m

Length (mm): 5000 Width (mm): 1900 Height (mm): 2350



Dry weight (Kg): 5690

Silenced: Yes

Super silenced: No

ATS Switch device : Optional Lead-acid battery: 2X12V 200Ah Insulation Class: H

