



PRAMAC GSW22P COFANATO CON QUADRO COMANDO MANUALE

Product price:

8.394,00 € tax excluded

Product description:

Product features:

Phase: Three phase

Maximum power three phase (KW): 17.2

Continuous power three phase (KW): 16.08

Maximum power three phase (KVA): 21.5

Continuous power three phase (KVA): 20.1

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 400

Sockets configuration: 1 x 400V 32A 3P+N+T - 1 x 400V 16A 3P+N+T CEE - 2 x 230V 16A 2P+T CEE - 1 x 230V 16A SCHUKO

Engine: PERKINS 404D-22G, naturally aspirated

Emissions Regulations: Stage 3A

Speed governor: Mechanical

Starting system: Electric

Engine capacity (cm³): 2216

Number cylinders: 4

Cylinders' position: In line

Oil capacity (L): 10.6

Cooling: Water

Alternator: Mecc Alte ECP28-M/4, brushless

Poles: 4

Fuel tank capacity (L): 68

Consumption (L/h): 4 at 75% of the load / 5.3 at 100% of the load



Running time (h): 17.1 at 75% of the load / 12.9 at 100% of the load
Acoustic power: 87 dB(A)
Acoustic pressure: 58 dB(A) at 7 m
Length (mm): 1800
Width (mm): 850
Height (mm): 1260
Dry weight (Kg): 730
Silenced: Yes
Super silenced: Yes
Product type: Generator
ATS Switch device : No
Voltage regulator: AVR
Engine manufacturer: Perkins