



Hyundai Water Pump Clear and Dirty 1.6KW StageV

Product price:

199.00 € tax excluded

Product description:

Hyundai 1.6KW Motor Pump for Clear and Dirty Water Stage V

Powerful 52cc (2.0 HP) Hyundai 2-Stroke Motor Pump, ideal for domestic irrigation of vegetable gardens and gardens. Handles clear and dirty water.

Max flow rate \$20 \text{ mc}^3\text{h}\$, head 26m. EURO 5 engine for less polluting emissions.

The **Hyundai 2-Stroke Motor Pump** (Code 35606) is the ideal solution for all your domestic irrigation needs,

perfect for vegetable gardens and gardens. Equipped with a robust 52 cc engine that delivers **2.0 HP (1.6 KW)**,

this water pump guarantees reliable performance with 3000 rpm.

Designed for maximum versatility, it is able to suck and pump both **clear water** and **dirty water**. The aluminum body ensures durability, while the 1.2 L tank allows for prolonged operation.

With a compact design (\$390 \text{x} 220 \text{x} 310 \text{ mm}\$) 29292929 and a net weight of \$10 \text{ Kg}\$30303030, the Hyundai water pump is easy to move. It also stands out for its attention to the environment: it is classified **EURO 5** 31, guaranteeing a reduction in pollutants32. Ideal for those seeking power, versatility and a lower environmental impact in pumping and irrigation

Technical Features:

Product Type: 2-Stroke Motor Pump

Brand: Hyundai

Engine: 2T - 2.0 HP / 1.6 KW

Displacement, 52 cc



Engine RPM, 3000

Tank: 1.2 L

Maximum Noise Level: 114 dBA

Body Material: Aluminum

Type of Water Managed: Clear / Dark

Suction Diameter: 38 mm

Maximum Flow Rate: 20 mc3/h

Maximum Head: 26 m

Maximum Suction Height: 7 m

Net/Gross Weight: 10 / 12 Kg

Product Dimensions: 390 x 220 x 310 mm

Emission Class: EURO 5

Intended Use: Irrigation of vegetable gardens and gardens in the domestic environment

If you are looking for a product with different technical characteristics **CLICK HERE**.

Product features:

Engine: 2T - 2,0 HP/1,6 KW Emissions Regulations: Stage 5

Engine rpm (rpm): 3000 Engine capacity (cm³): 52

Net power (kW): 1.6 KW (2.1 HP) / 3600 rpm Fluid type: Acque sporche e acque chiare

Maximum flow (m³/h): 20 Tank capacity (L): 1.2

Product dimensions (mm): 390x220x310 mm

Gross weight (Kg): 12

Inlet diameter thread type (mm/inches): 38 mm

Weight (Kg): 10

Maximum suction: 7 m



