



Shop name



Green Power PTO Generator 20KVA 400/230V

Product price:

2,627.00 € tax excluded

Product description:

Green Power PTO Generator 20KVA 400/230V

The **Green Power PTO Generator 20KVA 400/230V** is a robust and versatile power unit, ideal for applications requiring stable **three-phase** power. With a maximum power of **20 kVA** (equivalent to **13 kW**) for continuous use, this Green Power generator is capable of handling significant loads in agricultural or industrial environments. The unit is designed to operate at a standard frequency of **50 Hz** and offers a dual output voltage of **400/230 V**, allowing it to power both three-phase machinery and single-phase consumers. The heart of the system is a high-quality **MECC ALTE ECP28-M/4** 4-pole alternator, which operates at a controlled speed of **1500 rpm** to ensure reliability and long life. Despite its performance, the generator maintains relatively compact dimensions (805 mm long, 580 mm wide, and 985 mm high) and a dry weight of just **175 kg**, facilitating positioning. Finally, it features an **IP23** protection rating, which makes it resistant to light atmospheric agents and ensures safe operation in various operating contexts.

Technical Features Green Power 20KVA PTO Generator :

Phase type: Single-phase / Three-phase

Continuous three-phase power (KW):13

Continuous three-phase power (KVA):20

Frequency (Hz):50

Voltage (V):400/230

Engine speed (rpm): 1500

Alternator: MECC ALTE ECP28-M/4 (*)



Number of poles: 4

Length (mm): 805

Width (mm): 580

Height (mm): 985

Dry weight (Kg): 175

Protection rating: IP23

Are you looking for a cardan shaft generator with different technical characteristics? [HERE](#) you can find the entire range or other brands specialized in the sector.

Product features:

Phase: Single phase / Three phase

Continuous power three phase (KW): 13

Continuous power three phase (KVA): 20

Frequency (Hz): 50

Voltage (V): 400/230

Engine rpm (rpm): 1500

Alternator: MECC ALTE ECP28-M/4 (*)

Poles: 4

Protection degree: IP23

Length (mm): 805

Width (mm): 580

Height (mm): 985

Dry weight (Kg): 175

