



HYUNDAI GENERATORE 65554 THREE PHASE SILENCED 32KW/40KVA STAGE II

Product price:

10,432.00 € tax excluded

Product description:

HYUNDAI GENERATOR 65554 THREE-PHASE SILENCED 32KW/40KVA STAGEII

GENERATOR HYUNDAI 65554 SILENT THREE-PHASE STAGEII 32KW/40KVA Silent power at your service

The Hyundai Stagell 65554 generator DPK-DDE-44 represents the ultimate expression of power and reliability in a single solution.

Designed to meet the needs of individuals, businesses and construction sites,

this Hyundai generator offers a range of unbeatable benefits:

Generator **High performance:**

3168 displacement DEUTZ engine: powerful, reliable and Stagell compliant

Direct injection system: efficiency and low consumption

Leroy Somer TALA42F alternator: robust and reliable, providing a pure sine wave.

Quiet operation:

Noise level below 70 dB (at 7m): ideal for residential and office environments

Safety and reliability:

Waterproof' control panel: intuitive monitoring and control



Emergency button: Immediate stop in case of need

Waterproof miniature circuit breaker: overload and short-circuit protection

IP23 degree of protection: water and dust resistant

Autonomy and durability:

Large autonomy: 75-litre tank for extended operation

Liquid cooling system: Optimal temperatures even in harsh conditions

Advanced control and management:

Deepsea DSE6120MKIII control unit

Ready for ATS: automatic connection in the event of mains failure

The Hyundai Stagell Generator is the ideal choice for:

Private homes: backup power and supply for high equipment

Companies: business continuity in the event of outages

Construction sites: for tools and machinery

The Hyundai 65554 Stagell Three-Phase Silent Generator is the ideal solution for anyone looking for a powerful, reliable and silent Hyundai generator.

With its three-phase and single-phase, the Hyundai Silent Stagell Generator is capable of powering a wide range of equipment.

The Hyundai Three-phase Silent Stagell Generator features a direct injection system for efficiency and low fuel consumption.

The Hyundai 65554 three-phase Silent Stagell Generator is a safe and reliable product, thanks to its "Waterproof" control panel, emergency button and IP23 protection rating.

Technical characteristics Hyundai 65554 Three-Phase Silenced Stagell Generator:

Voltage: 230/400 V



Single/three-phase

Three-phase continuous use power: 40 KVA

Nominal power: 10.7/32 Kw

Max MF/TF Power: 11.7/35 Kw

Frequency: 50 Hz

Amperage: 57.7 A

Noise level: 70 DB (at 7m)

IP Degree of Protection: IP23

Degree of Insulation: H/H

Altitude: 1000m asl

Engine: DEUTZ

Displacement: 3168 cc

Type of Injection: Direct

No. Cylinders: 4

Engine rpm: 1500/min

Emissions: Stage II

Consumption 100% of load: 10.3 l/h

Fuel: Diesel

Tank capacity: 75 L

Cooling System: Coolant

Control unit: DEEPSEA DSE6120MKIII

Total capacity of lubrication system: 7.8 L

Cap. total cooling system 16.8 L

Alternator Model: Leroy Somer BFM3T

Exciter: Brushless - Auto - Excitation

Dimensions L x W x H: 2450 * 900 * 1200 mm

Weight: 900 kg

Preparation: ATS

If you are looking for a product similar to Hyundai Three Phase Generator click [HERE](#).

The image is purely indicative.

Product features:

Phase: Single phase / Three phase

Maximum power single phase (KW): 11.7

Maximum power three phase (KW): 35

Continuous power three phase (KW): 32

Maximum power three phase (KVA): 44



Continuous power three phase (KVA): 40

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 230 / 400

Engine: Deutz BFM3T

Emissions Regulations: Stage 2

Engine rpm (rpm): 1500

Starting system: Elettrico

Engine capacity (cm³): 3168

Number cylinders: 3

Cooling: Liquid

Alternator: Leroy Somer TALA42F

Fuel tank capacity (L): 70

Length (mm): 2450

Width (mm): 900

Height (mm):

Dry weight (Kg):

Engine manufacturer: Deutz

