



## PRAMAC LSW9Y Metal Halides 4 x 1000W with Genset

## **Product description:**

These integrated, towable light towers are equipped with slow towing or road towing. Ideal for quick and easy deployment.

Thanks to their 4X1000W metal halide lamps these light towers illuminate more than 4,000 square meters, representing a professional solution for outdoor use, such as road and bridge construction, emergency management, oil and gas.

Non-binding images and technical data.

## **Product features:**

Phase: Single phase

Maximum power single phase (KVA): 7.16 Continuous power single phase (KVA): 6.52

Fuel: Diesel

Frequency (Hz): 50 Voltage (V): 230

Sockets configuration: 1 x 230V 16A 2P+T CEE Engine: Yanmar 3TNV76-GPGE, naturally aspirated

Speed governor: Mechanical Starting system: Electric Engine capacity (cm³): 1116

Number cylinders: 3

Cylinders' position: In line

Oil capacity (L): 3.5 Cooling: Water

Alternator: Linz E1C13SD

Poles: 4

Type of lamps: Metal halide

Lamps: 4 x 1000 W

Telescopic pole: Galvanized steel



Illuminated area (m²): 4500 Total lumens (Lm): 360000

Lifting System: Hydraulic lifting system

Maximum height (m): 9 Mast rotation: 360°

Open size (mm): 3011 x 2742 x 8838

Lenght closed (mm): 3011 Width closed (mm): 1342 Height closed (mm): 2468

Transportability: Slow or road trailer

Fuel tank capacity (L): 120

Consumption (L/h): 2.03 at 75% of the load / 2.70 at 100% of the load Running time (h): 59.11 at 75% of the load / 44.44 at 100% of the load

Acoustic power: 87 dB(A)

Acoustic pressure: 58 dB(A) at 7 m

Dry weight (Kg): 970

Inverter: No AVR: No

Compound: No Silenced: Yes

Super silenced: Yes