



PRAMAC P11000 Generator set Single-phase 9.7KW IPP

Product price:

6,061.18 € tax excluded

Product description:

Electric generator PRAMAC P11000 Single Phase 9.7 KW Super Silent

The PRAMAC P11000 single-phase electric generator with a 9.7 KW diesel engine at 3000 rpm. The PRAMAC P11000 electric generator features electric start. The alternator of the PRAMAC P11000 electric generator comes with a capacitor voltage regulator. The Yanmar diesel engine makes the P11000 generator very reliable as it has been built and designed using high-quality materials.

Thanks to its casing, it can be considered super silent, and with its compact dimensions, it can be easily handled and transported. The PRAMAC P11000 single-phase electric generator is suitable for outdoor use in small construction sites or for small outdoor jobs.

Technical specifications of the PRAMAC P11000 Single Phase electric generator:

Maximum Single Phase Power: 9.7 KW

Continuous Single Phase Power: 9 KW

Fuel: Diesel

Voltage: 230 V

Frequency: 50 Hz

Engine: Yanmar 3TNV70-HGE

Start: Electric

Consumption: 3.97 Lt/h at 100% load

Length: 1400 mm

Width: 650 mm

Height: 975 mm

Weight: 325 Kg



CONTROL PANEL

Controls:

- Start key: OFF - ON - START

Instruments:

- Voltmeter
- Hour meter
- Low oil pressure light

Protections:

- Circuit breaker
- Isometer Protection (IPP)

Sockets:

2 x 2P+T CEE 230V 16A IP44

1 x 2P+T CEE 230V 32A IP44

The PRAMAC P11000 power generator is a professional diesel electric generator developed by Pramac with a diesel engine in a covered and soundproof version, ideal for residential use. With its quietness, the PRAMAC P11000 power generator is the ideal generator for use in residential areas or outside of working hours. The P11000 generator is equipped with high-quality components and complete instrumentation for use on construction sites or to cope with any blackouts.

If you are looking for an electric generator like the single-phase P11000 power generator, we recommend browsing our catalog of land-based electric generators to find the one that best suits your needs.

Images and technical data are not binding.



Product features:

Phase: Single phase

Maximum power single phase (KW): 9.7

Continuous power single phase (KW): 9

Maximum power single phase (KVA): 10.8

Continuous power single phase (KVA): 10

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 230

Sockets configuration: 2 x 230V 16A 2P+T CEE - 1 x 230V 32A 2P+T CEE

Engine: Yanmar 3TNV70-HGE, naturally aspirated

Engine rpm (rpm): 3000

Speed governor: Mechanical

Starting system: Elettrico

Engine capacity (cm³): 854

Oil capacity (L): 3.8

Cooling: Water

Poles: 2

Acoustic power: 96 dB(A)

Acoustic pressure: 68 dB(A) at 7 m

