WFM SE12000-MTHE AVR



Product description:

WFM PN80-MH Genset

Genset WFM PN80-MH is a single-phase genset with a rated output of 5.6 kW and a maximum output of 7 kW. It is powered by a 389 cc Honda GX390 gasoline engine running at 3000 rpm. The engine has a manual recoil start with recoil starter.

The WFM genset has an open tubular frame that makes it compact and lightweight. It is also equipped with a low oil level protection, a muffler muffler and a prime Italian brand alternator. The genset has been tested at full load and has a test certificate.

The WFM PN80-MH is a good choice for those looking for a reliable and affordable WFM PN80-MH genset for home or commercial use. It is perfect for powering electrical equipment such as home appliances, lights and work equipment.

Generator Set Key Features WFM PN80-MH Genset:

389 cc Honda GX390 engine Rated power of 5.6 kW Maximum output of 7 kW Gasoline-powered Manual recoil start with recoil starter Open tubular frame Low oil level protection Silencer muffler Primary Italian brand alternator Full load test Test certificate

Specifications WFM PN80-MH Genset :

PrestaShop

R)

Maximum power Single-phase: 5.6 KW Maximum power Single phase: 7 KVA Fuel: Gasoline Voltage: 230 V Frequency: 50 Hz Engine: Honda GX390 Starting: Recoil recoil starter Consumption: 3.1 Lt at 100% load Length: 780 mm Width: 520 mm Height: 560 mm Weight: 73 kg

Ø.

WFM PN80-MH Genset is an ideal genset for powering electrical equipment during power outages or for use in camping or outdoor activities.

The Honda GX390 engine is reliable and durable, and provides excellent autonomy for the WFM PN80-MH genset.

The open tubular frame makes it easy to transport and position.

The low oil level protection and muffler muffler make the WFM PN80-MH Genset a safe and quiet genset.

Primary Italian brand alternator ensures stable and reliable power production.

Full load test and test certificate attest to the quality and performance of WFM PN80-MH Genset.

If you are looking for a product like WFM PN80-MH GENSET similar or with similar features click HERE.

Images are for reference only.

Product features:

Phase: Single phase Maximum power single phase (KW): 5.6 Maximum power single phase (KVA): 7 Fuel: Gasoline Frequency (Hz): 50 Voltage (V): 230 Sockets configuration: 1 x 230V - 1 x 230V CEE Engine: Honda GX390

R

Engine rpm (rpm): 3000 Ignition: Recoil Starting system: Pull starter Engine capacity (cm³): 389 Number cylinders: 1 Oil capacity (L): 1.1 Cooling: Air Fuel tank capacity (L): 6.5 Consumption (L/h): 3.1 at 100% of the load Running time (h): 2.09 at 100% of the load Acoustic power: 96 dB(A) Acoustic pressure: 71 dB(A) at 7 m Length (mm): 780 Width (mm): 520 Height (mm): 560 Dry weight (Kg): 73 Silenced: No Super silenced: No ATS Switch device : No Voltage regulator: No Engine manufacturer: Honda

R