



Shop name



GENSET MG 3000 I-HE GENERATOR SINGLE PHASE 3 KVA

Product price:

690.00 € tax excluded

Product description:

GENSET MG 3000 I-HE GENERATOR SINGLEPHASE 3 KVA

The generator GENSET MG 3000 I-HE singlephase is equipped with a gasoline engine capable of delivering 3 KVA with voltage regulator.

The GENSET MG 3000 I-HE single-phase generator provides reliable power for home, work and recreation environments. Safely powering appliances and other electronic devices solution for outdoor parties.

Generator is as easy to install and operate as it is to start and stop thanks to clear, intuitive controls (pull start). Auto shut-off for low oil level. Durable frame.

GENSET MG 3000 I-HE has an all-steel construction and a large metal tank with fill indicator. The generator provides efficient and quiet operation thanks to the Honda OHV engine that allows to deliver a maximum power of 3 KVA.

TECHNICAL FEATURES GENSET MG 3000 I-HE

Phase Type: SinglePhase

Maximum SinglePhase Output: 3 KVA

Maximum SinglePhase Output: 2.4 KW

VAC Voltage: 230 V

Frequency (Hz): 50

Quadro Starter: Manual with self-winding

Motor: Honda GX 160 OHV

Emission Standard: Stage V

RPM: 3000

Power supply: Gasoline

Fuel tank capacity: 3.1 l



Consumption @ 75 % load: 1.4 l/h

Autonomy @ 50 % load: 2.21 h

Sound pressure: 95 dB(A) @ 7m

Length: 610 mm

Width: 360 mm

Height: 410 mm

Net weight: 36 Kg

Looking for a generator with different characteristics? [Here](#) you can find the full range of generators GENSET or other specialized brands

Images and technical data are not binding.

Product features:

Phase: Single phase

Maximum power single phase (KW): 2.4

Maximum power single phase (KVA): 3

Fuel: Gasoline

Frequency (Hz): 50

Voltage (V): 230

Sockets configuration: 2 Schuko

Engine: Honda GX160, 4 stroke, OHV

Emissions Regulations: Stage 5

Engine rpm (rpm): 3000

Ignition: Recoil

Starting system: Manual

Engine capacity (cm³): 163

Number cylinders: 1

Cooling: Air

Protection degree: IP23

Motor insulation class: H

Fuel tank capacity (L): 3.1

Consumption (L/h): 1.4

Running time (h): 2.21

Acoustic power: 95 dB(A)

Acoustic pressure: 70 dB(A) at 7 m

Length (mm): 610

Width (mm): 360

Height (mm): 410

Dry weight (Kg): 36

Silenced: No

Super silenced: No



Shop name

Product type: Generator

ATS Switch device : No

Voltage regulator: No

Engine manufacturer: Honda



PrestaShop