



# WFM SP7500-TDSE Generator Set 6.4KVA AVR

**Product price:** 

3,387.00 € tax excluded

### **Product description:**

#### WFM SP7500-TDSE Generator Set 6.4KVA AVR

WFM SP7500-TDSE AVR GENERATOR: The power you need, wherever you need it

The WFM SP7500-TDSE GENERATOR AVR is a powerful and versatile generator set, ideal for powering your electronic equipment in any situation.

Thanks to its AVR (Automatic Voltage Regulator) technology, this generator guarantees a stable and precise voltage,

protecting your devices from power surges that could cause damage.

#### **Strong points:**

**AVR technology**: AVR voltage stabilisation protects your electronic equipment, even the most sensitive, from current surges.

**Versatility**: Suitable for both domestic and professional use, ideal for powering inverter welders, power tools, computers, TVs, and more.

**Power**: With a maximum power output of 6.4 KVA, it can also power several devices simultaneously.

Reliability: Lombardini diesel engine, a guarantee of quality and durability.

Ease of use: Electric start with battery, ready to use at any time.

**Safety**: Low oil level protection and muffler for safe and silent operation.



**Transportability**: Compact size and low weight for easy transport.

## **Technical specifications WFM SP7500-TDSE AVR GENERATOR**

Maximum power Single-phase: 3 KW

Maximum single-phase power: 3.8 KVA

Maximum three-phase power: 5.1 KW

Maximum three-phase power: 6.4 KVA

Fuel: Diesel

Voltage: 230 V / 400 V

Frequency: 50 Hz

Engine: Lombardini 15LD440

Starting: Electric

Consumption: 2 Lt at 100% load

Length: 750 mm

Width: 560 mm

Height: 620 mm

Weight: 170 Kg

if you are looking for a product with similar characteristics **CLICK HERE**.

Images are purely indicative.

#### **Product features:**

Phase: Single phase / Three phase Maximum power single phase (KW): 3 Maximum power single phase (KVA): 3.8



Maximum power three phase (KW): 5.1 Maximum power three phase (KVA): 6.4

Fuel: Diesel

Frequency (Hz): 50 Voltage (V): 230 / 400

Sockets configuration: 1 x 400V 32A 5P CEE - 1 x 230V 16A 3P CEE - 1 x 230V 16A 3P

**SCHUKO** 

Engine: LOMBARDINI 15LD440

Engine rpm (rpm): 3000 Starting system: Elettrico Engine capacity (cm³): 436

Number cylinders: 1 Oil capacity (L): 2

Cooling: Air

Fuel tank capacity (L): 20

Consumption (L/h): 2 at 100% of the load Running time (h): 10 at 100% of the load

Acoustic power: 96 dB(A)

Acoustic pressure: 71 dB(A) at 7 m

Length (mm): 750 Width (mm): 560 Height (mm): 620 Dry weight (Kg): 170

Silenced: Yes Super silenced: No

ATS Switch device : Optional

Voltage regulator: AVR

Engine manufacturer: LOMBARDINI

