



GENSET MG 5000 S-Y - GENERATOR 4.25 KVA

Product price:

3,091.00 € tax excluded

Product description:

GENSET MG 5000 S-Y SINGLE PHASE POWER GENERATOR 4.3 KVA

GENSET MG 5000 S-Y Single-phase generating set with Yanmar L70V engine powered by diesel, capable of delivering a maximum power of 4.3 KVA complete with optional AVR voltage regulator.

The GENSET MG 5000 S-Y generator set is compact and easy to use, equipped with a casing that lowers noise emissions and makes it super-silenced.

The GENSET MG 5000 S-Y is a 4.3 KVA single-phase diesel generator set with electric start. This generator is also available in a version with AVR voltage regulator, with automatic panel and remote control.

The GENSET MG 5000 S-Y generator set includes:

- Voltmeter
- Hour meter
- Differential magnetothermal switch
- Emergency stop button
- Starting battery
- 1 single-phase socket CEE 32A, 230V - 50 Hz
- 1 single-phase socket CEE 16A, 230V - 50 Hz
- Protection for power outlets
- Arrangement for operation in AMF/ATS or Remote Control
- Central lifting hook

TECHNICAL FEATURES GENSET MG 5000 S-Y

Phase Type: Single-Phase

Maximum Single-Phase Power: 4.3 KVA / 3.4 KW

VAC Voltage: 230 V



Frequency (Hz): 50
Quadro Starter: Electric
Motor: Yanmar L70V
Emission Standard: Non-emitting
RPM: 3000
Power supply: Diesel
Fuel tank capacity: 10.5 l
Consumption @ 75 % load: 1 l/h
Autonomy @ 75 % load: 10.5 h
Sound pressure: 96 dB(A)
Length: 815 mm
Width: 560 mm
Height: 730 mm
Net weight: 125 Kg

Are you looking for a generator with different technical characteristics? [Here](#) you can find the whole range of GENSET or other specialized brands

Images and technical data are not binding and may be subject to revision by the manufacturer.

Product features:

Phase: Single phase
Maximum power single phase (KW): 3.4
Maximum power single phase (KVA): 4.3
Fuel: Diesel
Frequency (Hz): 50
Voltage (V): 230
Sockets configuration: 1 x 230V 16A CEE - 1 x 230V 32A CEE
Engine: Yanmar L70V, 4 stroke
Emissions Regulations: Stationary Use
Engine rpm (rpm): 3000
Starting system: Electric
Engine capacity (cm³): 320
Number cylinders: 1
Cooling: Air
Alternator: Synchronous
Protection degree: IP23
Motor insulation class: H
Fuel tank capacity (L): 10.5



Consumption (L/h): 1
Running time (h): 10.5
Acoustic power: 96 dB(A)
Acoustic pressure: 71 dB(A) at 7 m
Length (mm): 815
Width (mm): 560
Height (mm): 730
Dry weight (Kg): 125
Silenced: Yes
Super silenced: Yes
Product type: Generator
ATS Switch device : Optional
Voltage regulator: AVR (optional)
Engine manufacturer: Yanmar