



# GENSET MG 5000 S-Y - GENERATOR 4.25 KVA

Product price:

**3,200.00 € tax excluded**

## Product description:

### **GENSET MG 5000 S-Y SINGLE PHASE POWER GENERATOR 4.3 KVA**

GENSET MG 5000 S-Y Single-phase generating set with Yanmar L70V engine powered by diesel, capable of delivering a maximum power of 4.3 KVA complete with optional AVR voltage regulator.

The GENSET MG 5000 S-Y generator set is compact and easy to use, equipped with a casing that lowers noise emissions and makes it super-silenced.

The GENSET MG 5000 S-Y is a 4.3 KVA single-phase diesel generator set with electric start. This generator is also available in a version with AVR voltage regulator, with automatic panel and remote control.

The GENSET MG 5000 S-Y generator set includes:

- Voltmeter
- Hour meter
- Differential magnetothermal switch
- Emergency stop button
- Starting battery
- 1 single-phase socket CEE 32A, 230V - 50 Hz
- 1 single-phase socket CEE 16A, 230V - 50 Hz
- Protection for power outlets
- Arrangement for operation in AMF/ATS or Remote Control
- Central lifting hook

## TECHNICAL FEATURES GENSET MG 5000 S-Y

Phase Type: Single-Phase

Maximum Single-Phase Power: 4.3 KVA / 3.4 KW

VAC Voltage: 230 V

---



Frequency (Hz): 50  
Quadro Starter: Electric  
Motor: Yanmar L70V  
Emission Standard: Non-emitting  
RPM: 3000  
Power supply: Diesel  
Fuel tank capacity: 10.5 l  
Consumption @ 75 % load: 1 l/h  
Autonomy @ 75 % load: 10.5 h  
Sound pressure: 96 dB(A)  
Length: 815 mm  
Width: 560 mm  
Height: 730 mm  
Net weight: 125 Kg

Are you looking for a generator with different technical characteristics? [Here](#) you can find the whole range of GENSET or other specialized brands

Images and technical data are not binding and may be subject to revision by the manufacturer.

#### **Product features:**

Phase: Single phase  
Maximum power single phase (KW): 3.4  
Maximum power single phase (KVA): 4.3  
Fuel: Diesel  
Frequency (Hz): 50  
Voltage (V): 230  
Sockets configuration: 1 x 230V 16A CEE - 1 x 230V 32A CEE  
Engine: Yanmar L70V, 4 stroke  
Emissions Regulations: Stationary Use  
Engine rpm (rpm): 3000  
Starting system: Elettrico  
Engine capacity (cm<sup>3</sup>): 320  
Number cylinders: 1  
Cooling: Air  
Alternator: Sincrono  
Protection degree: IP23  
Motor insulation class: H  
Fuel tank capacity (L): 10.5

---



Consumption (L/h): 1  
Running time (h): 10.5  
Acoustic power: 96 dB(A)  
Acoustic pressure: 71 dB(A) at 7 m  
Length (mm): 815  
Width (mm): 560  
Height (mm): 730  
Dry weight (Kg):  
Silenced: Yes  
Super silenced: Yes  
Product type: Generator  
ATS Switch device : Optional ATS  
Voltage regulator: AVR (optional)  
Engine manufacturer: Yanmar