



GENSET MG 10000 S-KL - GENERATOR 10 KVA

Product price:

6,502.00 € tax excluded

Product description:

GENSET MG 10000 S-KL SINGLE-PHASE POWER GENERATOR 10KVA STAGE V

GENSET MG 10000 S-KL Single-phase genset with Kubota D1105 STAGE V diesel-powered engine, capable of delivering a maximum power of 10KVA complete with AVR voltage regulator for autonomy up to about 24h.

The GENSET MG 10000 S-KL single-phase genset with autonomy of about 24 hours is compact and easy to use, equipped with an enclosure that lowers noise emissions and makes it super-silent.

The GENSET MG 10000 S-KL is a single-phase 10KVA diesel genset with electric start. This generator is also available in a version with AVR voltage regulator, with automatic panel and remote control.

Thanks to its compact dimensions and very low weight, the GENSET MMG 10000 S-KL is a light generator that is easy to transport.

The GENSET MG 10000 S-KL also has a low fuel consumption: only 2 Lt/h at 75% load for an autonomy of up to approx. 24 h.

The GENSET MG 10000 S-KL generator set, thanks to the high quality and efficiency of its components, is ideal for various types of work requiring an autonomy of about 24h: from small hobby work to large construction sites.

The GENSET MG 10000 S-KL generator set includes:

- Automatic engine stop device with warning lights for:
 - battery charge failure
 - high water temperature
 - low fuel level
 - low oil pressure
- 1 single-phase CEE 230V - 32A outlet
- 1 single-phase 230V withdrawal



- 12 V battery
- Power output protections
- Differential switch
- Voltmeter
- Hour meter
- Emergency stop button
- Fork pass

TECHNICAL FEATURES GENSET MG 10000 S-KL

Phase Type: Single-Phase

Maximum Single-Phase Power: 10 KVA / 8 KW

Continuous Single-Phase Power: 9 KVA / 7.2 KW

VAC Voltage: 230 V

Frequency (Hz): 50

Starting Frame: Electric

Engine: Kubota D1105

Emissions Standard: STAGE V

RPM: 1500

Power supply: Diesel

Fuel tank capacity: 40 l

Consumption @ 75 % load: 2 l/h

Autonomy @ 75 % load: 20 h

Acoustic pressure: 95 dB(A)

Length: 1357 mm

Width: 707 mm

Height: 942 mm

Net weight: 350 Kg

Are you looking for a generator with different technical characteristics? [Here](#) you can find the whole range of GENSET or other specialized brands

Images and technical data are not binding and may be subject to revision by the manufacturer.

Product features:

Phase: Single phase

Maximum power single phase (KW): 8

Continuous power single phase (KW): 7.2

Maximum power single phase (KVA): 10



Continuous power single phase (KVA): 9

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 230

Sockets configuration: 1 x 230V 32A

Engine: Kubota D1105

Emissions Regulations: Stage 5

Engine rpm (rpm): 1500

Starting system: Electric

Engine capacity (cm³): 1123

Number cylinders: 3

Cooling: Water

Alternator: Synchronous

Protection degree: IP23

Motor insulation class: H

Fuel tank capacity (L): 40

Consumption (L/h): 2

Running time (h): 20

Acoustic power: 95 dB(A)

Acoustic pressure: 70 dB(A) at 7 m

Length (mm): 1357

Width (mm): 707

Height (mm): 942

Dry weight (Kg): 350

Silenced: Yes

Super silenced: Yes

Product type: Generator

ATS Switch device : No

Voltage regulator: Capacitor

Engine manufacturer: Kubota

