



MASE IS 24 SINGLE PHASE MARINE GENERATOR 26KW

Product price:

31.450,00 € tax excluded

Product description:

MASE IS 24 SINGLE-PHASE MARINE GENERATOR 26KW

MASE IS24 single phase marine generator with Yanmar 4TNV98 engine with diesel power supply at 1500 rpm capable of delivering a power of 26KW.

The MASE IS24 is designed with a soundproof cabin that makes it **supersilenced**. The MASE IS24 marine generator is built with a Yanmar diesel-powered engine and synchronous alternator, self-excited with air/water cooling. With its small size, it is also suitable on small boats.

The marine generator CBU control module has a new design, the latest technology, a large display and micro-buttons for quick navigation of menus, start and stop procedures; IP54 protection rating. Very compact, 86x124mm and equipped with 10mts shielded cable, the CBU module has multiple functions for complete monitoring of the MASE IS24.

The soundproof cabin of the MASE IS24 consists of a load-bearing structure in aluminum profile that supports panels in marine aluminum painted type 5754 extremely light and very high resistance to external agents. The excellent accessibility to the internal compartment makes maintenance operations easier, even when the genset is installed in narrow spaces.

Technical features:

Maximum power Single-phase: 26 KW

Continuous use power Single-phase: 24 KW

Fuel: Diesel

Voltage: 115 V / 230 V

Frequency: 50 Hz

Motor: Yanmar 4TNV98

Length: 1225 mm

Width: 630 mm





Height: 830 mm

Weight: 625 Kg

If you are looking for another generator like the MASE IS24 then you can browse the entire catalog of marine gensets.

Images and technical data are not binding.

Product features:

Phase: Single phase

Maximum power single phase (KW): 26

Continuous power single phase (KW): 24

Maximum power single phase (KVA): 26

Continuous power single phase (KVA): 24

Fuel: Diesel

Frequency (Hz): 50

Voltage (V): 115 / 230

Engine: Yanmar 3TNV98, 4 stroke

Engine rpm (rpm): 1500

Speed governor: Centrifugal, mechanical

Engine capacity (cm³): 3319

Number cylinders: 4

Oil capacity (L): 10.5

Cooling: Air / water (Intercooler W/A)

Inyección : Direct

Alternator: Synchronous, self-excited

Poles: 4

Compression ratio: 18 : 1

Lubrication: Forced

Consumption (L/h): 7.6 at 100% of the load

Acoustic pressure: 54 dB(A) at 7 m

Length (mm): 1225

Width (mm): 630

Height (mm): 830

Dry weight (Kg): 625

Inverter: No

AVR: Yes





Compound: No

Silenced: Yes

Super silenced: Yes

Product type: Generator

Voltage regulator: AVR

Engine manufacturer: Yanmar