



MASE MARINER 1600 SINGLE PHASE MARINE GENERATOR 15.3KW

Product price:

20,200.00 € tax excluded

Product description:

MASE MARINER1600 SINGLE PHASE MARINE GENERATOR 15.3KW

MASE MARINER1600 single phase marine generator is equipped with a YANMAR 4TNV88 diesel engine capable of delivering a maximum power of 15.3 KW complete with **AVR voltage regulator**.

The MASE MARINER1600 marine generator is built with and air-cooled, self-excited synchronous alternator, it is extremely compact and efficient, suitable even on small boats.

The alternator of the MASE MARINER1600is synchronous 4-pole, self-regulated, self-excited, brushless, which in conjunction with the YANMAR engine can deliver a maximum power of 15.3KW. The rotor and the stator are coated with epoxy paint to prevent the attack of atmospheric agents, in addition it is equipped with safety systems of auto stop in case of high temperatures detected on the windings.

The MASE MARINER1600 is built with synchronous alternator, self-excited without brushes with air cooling, it is extremely compact and powerful, suitable also for small boats. The alternator is complete with AVR voltage regulator that ensures the stability of the voltage delivered by the generator, delivering current like the one at home.

Technical Features MASE MARINER1600

Phase Type: Single Phase Maximum Power: 15.3 KW

Continuous Use Power: 13.9KW

Fuel: Diesel

Voltage: 115 - 230 V Frequency: 50 Hz

Alternator: Synchronous, 4-pole Brushless



Voltage Regulator: AVR

Motor: YANMAR 4TNV88, 4 Stroke

Mechanical Power: 24. 5 Hp Number of Cylinders: 4 Displacement: 1500 cc

RPM Regulator: Mechanical Centrifugal

Engine RPM: 1500 rpm Fuel Consumption: 5. 6 l/h

Length: 1000 mm Width: 570 mm Height: 670 mm Weight: 395 Kg

If you are looking for another marine generator then you can browse the entire catalog of <u>marine</u> <u>generators</u>.

Images and technical data are not binding.

Product features:

Phase: Single phase

Maximum power single phase (KW): 15.3 Continuous power single phase (KW): 13.9

Fuel: Diesel

Frequency (Hz): 50 Voltage (V): 115 / 230

Engine: Yanmar 4TNV88, 4 stroke

Engine rpm (rpm): 1500

Speed governor: Centrifugal, mechanical

Engine capacity (cm³): 2190

Number cylinders: 4 Oil capacity (L): 7.4

Cooling: Air

Alternator: Synchronous, self-excited

Poles: 4

Lubrication: Forced

Consumption (L/h): 5.6 at 100% of the load

Length (mm): 1000 Width (mm): 570 Height (mm): 670 Dry weight (Kg): 395



Inverter: No AVR: Yes

Compound: No Silenced: No

Super silenced: No

Product type: Generator Voltage regulator: AVR

Engine manufacturer: Yanmar

