



MASE MARINER 610 S SILENCED SINGLE-PHASE MARINE GENERATOR 6.1 KW

Product price:

13,950.00 € tax excluded

Product description:

MASE MARINER610S SILENCED SINGLE-PHASE MARINE GENERATOR 6.1KW

MASE MARINER610S single phase silenced marine generator is equipped with a KUBOTA Z482 diesel engine capable of delivering a maximum power of 6.1 KW at 3000 rpm.

The marine generator MASE MARINER610S is built with and synchronous alternator, self-excited with air cooling, it is extremely compact and powerful, suitable even on small boats.

The MASE MARINER610S allows easy access for maintenance of the fuel and lubrication systems, sea water pump, air filter, oil filter and fuel. It is also equipped with safety systems of auto stop for low oil pressure and high engine temperature or exhaust gas.

The alternator of the MASE MARINER610S is synchronous, 2-pole, self-regulated, self-excited, brushless, which in conjunction with the powerful KUBOTA engine can deliver a maximum power of 6.1 kW. The rotor and the stator are coated with epoxy paint to prevent the attack of atmospheric agents, in addition it is equipped with safety systems of auto stop in case of high temperatures detected on the windings.

The marine generator MASE MARINER610S is equipped with a soundproof cabin that makes it super silenced, with a sound emission of 55dB(A) at a distance of 7 m. The painted aluminum soundproof cabin is extremely lightweight and of very high resistance to external agents.

TECHNICAL FEATURES MASE MARINER610S

Phase Type: Single Phase Maximum Power: 6.1KW

Continuous Use Power: 5.6 KW



Fuel: Diesel

Voltage: 115 - 230 V Frequency: 50 Hz

Motor: KUBOTA Z482, 4 Stroke Mechanical Power: 11. 1 Hp Number of Cylinders: 2

Displacement: 479 cc

RPM Regulator: Mechanical Centrifugal

Engine RPM: 3000 rpm Fuel Consumption: 2. 6 l/h

Acoustic pressure: 55dB(A) @ 7 m

Length: 674 mm Width: 475 mm Height: 551 mm Weight: 155 Kg

If you are looking for another MASE marine generator then you can browse the entire catalog of marine generators.

Images and technical data are not binding.

Product features:

Phase: Single phase

Maximum power single phase (KW): 6.1 Continuous power single phase (KW): 5.6

Fuel: Diesel

Frequency (Hz): 50 Voltage (V): 115 / 230

Engine: KUBOTA Z482, 4 stroke

Engine rpm (rpm): 3000

Speed governor: Centrifugal, mechanical

Engine capacity (cm³): 479

Number cylinders: 2 Oil capacity (L): 2.1

Cooling: Air

Inyección : Direct

Alternator: Synchronous, self-excited

Poles: 2

Lubrication: Forced

Consumption (L/h): 2.6 at 100% of the load



Acoustic pressure: 55 dB(A) at 7 m

Length (mm): 651 Width (mm): 468 Height (mm): 551 Dry weight (Kg): 125

Inverter: No AVR: No

Compound: No Silenced: Yes

Super silenced: Yes Product type: Generator

Engine manufacturer: Kubota

