



MASE MARINER 700 S SINGLE PHASE SILENCED MARINE GENERATOR 7.5 KW

Product price:

16.700,00 € tax excluded

Product description:

MASE MARINER 700 S SILENCED SINGLE-PHASE MARINE GENERATOR 7.5KW

MASE MARINER700S single phase silenced marine generator is equipped with a Yanmar 3TNV80F diesel engine capable of delivering a maximum power of 7.5 KW at 1500 rpm.

The MASE MARINER700S is built with and synchronous alternator, self-excited with air cooling, it is extremely compact and powerful, suitable even on small boats.

The MASE MARINER700S allows easy access for maintenance of the power and lubrication systems, seawater pump, air filter, oil filter and fuel. It is also equipped with safety systems of auto stop for low oil pressure and high engine temperature or exhaust gas.

The alternator of the MASE MARINER700S is synchronous with 4 poles, self-regulated, self-excited, brushless, which in conjunction with the powerful Yanmar engine can deliver a maximum power of 7.5 KW. The alternator is complete with AVR voltage regulator that ensures the stability of the voltage delivered by the generator, delivering current as the home.

The MASE MARINER700S is equipped with a soundproof cabin that makes it super quiet, with a sound emission of 51 dB(A) at a distance of 7 m. The soundproof cabin in painted aluminum is extremely light and of very high resistance to external agents.

TECHNICAL FEATURES MASE MARINER700S

Phase Type: Single Phase

Maximum Output: 7.5KW

Continuous Use Output: 6.7 KW

Fuel: Diesel



Voltage: 115 - 230 V
Frequency: 50 Hz
Motor: Yanmar 3TNV80F, 4 Stroke
Mechanical Power: 12. 7 Hp
Number of Cylinders: 3
Displacement: 1267 cc
RPM Regulator: Mechanical Centrifugal
Engine RPM: 1500 rpm
Fuel Consumption: 2. 3 l/h
Sound pressure: 51 dB(A) @ 7 m
Alternator: Synchronous Brushless
Voltage controller: AVR
Length: 868 mm
Width: 540 mm
Height: 618 mm
Weight: 230 Kg

If you are looking for another marine generator then you can browse the entire catalog of marine generators.

Images and technical data are not binding.

Product features:

Phase: Single phase
Maximum power single phase (KW): 7.5
Continuous power single phase (KW): 6.7
Fuel: Diesel
Frequency (Hz): 50
Voltage (V): 115 / 230
Engine: Yanmar 3TNV80F, 4 Tempi
Engine rpm (rpm): 1500
Speed governor: Centrifugal, mechanical
Engine capacity (cm³): 1267
Number cylinders: 3
Cooling: Air
Inyección : Direct
Alternator: Synchronous, self-excited
Poles: 4
Lubrication: Forced
Consumption (L/h): 2.3 at 100% of the load
Acoustic pressure: 51 dB(A) at 7 m
Length (mm): 868



Width (mm): 540
Height (mm): 618
Dry weight (Kg): 230
Inverter: No
AVR: Yes
Compound: No
Silenced: Yes
Super silenced: Yes
Product type: Generator
Voltage regulator: AVR
Engine manufacturer: Yanmar