



MASE MARINER 1050 TS THREE-PHASE SILENCED MARINE GENERATOR 10 KVA

Product price:

18,350.00 € tax excluded

Product description:

MASE MARINER 1050 TS SILENCED THREE-PHASE MARINE GENERATOR 10 KVA

MASE MARINER1050TS Three-phase silenced marine generator is equipped with a Yanmar 3TNV80F diesel engine capable of delivering a maximum power of 10 KVA at 1500 rpm.

The MASE MARINER1050TS is built with and synchronous alternator, self-excited with air cooling, it is extremely compact, suitable even on small boats.

The MASE MARINER1050TS allows easy access for maintenance of the fuel and lubrication systems, sea water pump, air filter, oil filter and fuel. It is also equipped with safety systems of auto stop for low oil pressure and high engine temperature or exhaust gas.

The alternator of the marine generator is synchronous with 4 poles, self-regulated, self-excited, without brushes, which in coupling with the Yanmar engine can deliver a maximum power of 10 KVA.

The alternator is complete with AVR, a device able to automatically regulate the voltage and eventually the frequency and/or the electric current according to set values. These values can be modified, or bound to the technical characteristics of the AVR itself.

Basically, thanks to an AVR, the alternating current coming from the alternator of the MASE MARINER1050TS is regulated and transformed into direct current at constant voltage.

The MASE MARINER1050TS marine generator is equipped with a soundproof cabin that makes it super quiet, with a sound emission of 51 dB(A) at a distance of 7 m. The soundproof cabin in painted aluminum is extremely lightweight and of very high resistance to external agents.



Technical Features MASE MARINER1050TS

Phase Type: Three Phase

Maximum Power: 10 KVA / 8 KW

Continuous Power: 9 KVA / 7.2 KW

Fuel: Diesel

Voltage: 400 V

Frequency: 50 Hz

Alternator: Synchronous, 4-pole

Voltage Regulator: AVR

Engine: Yanmar 3TNV80F, 4 Stroke

Mechanical Power: 12.7 Hp

Number of Cylinders: 3

Displacement: 1267 cc

RPM Controller: Mechanical Centrifugal

Engine RPM: 1500 rpm

Fuel Consumption: 2.9 l/h

Acoustic Pressure: 51 @ 7 m

Length: 921 mm

Width: 581 mm

Height: 656 mm

Weight: 295 Kg

If you are looking for another marine generator then you can browse the entire catalog of [marine generators](#)

Images and technical data are not binding.

Product features:

Phase: Three phase

Maximum power three phase (KW): 8



Continuous power three phase (KW): 7.2
Maximum power three phase (KVA): 10
Continuous power three phase (KVA): 9
Fuel: Diesel
Frequency (Hz): 50
Voltage (V): 400
Engine: Yanmar 3TNV80F
Engine rpm (rpm): 1500
Speed governor: Centrifugal, mechanical
Engine capacity (cm³): 1267
Number cylinders: 3
Cooling: Air
Inyección : Direct
Alternator: Synchronous, self-excited
Poles: 4
Lubrication: Forced
Consumption (L/h): 2.9 at 100% of the load
Acoustic pressure: 51 dB(A) at 7 m
Length (mm): 921
Width (mm): 581
Height (mm): 656
Dry weight (Kg): 295
Inverter: No
AVR: Yes
Compound: No
Silenced: Yes
Super silenced: Yes
Product type: Generator
Voltage regulator: AVR
Engine manufacturer: Yanmar

