



HONDA EG 3600 CL D-Avr

Single-Phase Petrol Generator 3.6 kW 4.5 kVA

Product price:

867.00 € tax excluded

Product description:

HONDA EG3600CL GENERATOR SINGLE-PHASE AVR 3,6KW 4,5KVA

HONDA EG3600CL is a singlephase 4,5KVA 3,6KW power generator with gasoline operation and D-AVR technology.

The Honda EG3600CL generator is ideal for sensitive electronic equipment as well as the most demanding commercial and rental applications, they are always ready for work, anywhere, anytime.

It is good to know that you can always count on the voltage produced by the Honda EG3600cl generator, produced through an automatic digital voltage regulator (D-AVR). This regulator represents an improvement over the traditional AVR and provides smoother and more efficient power for sensitive electronic equipment, offering a stable 4,5KVA clean energy waveform.

The Honda EG3600cl becomes a reliable companion, ready to work every day of the week. Once in operation, it satisfies any request, also responding well to load variations.

The practical cap allows easy refueling without spilling fuel, it also allows you to control the fuel level without removing it, also offering significant time savings.

Highly practical sockets and controls allow quick and easy starting and operation, especially because the motor and starter, fuel tank cap, switch and plugs are all on the same panel. This allows easy and practical starting and operation of the Honda EG3600cl.

The **Oil Alert™ technology** will automatically disconnect the contact in case the oil is below the safety level.

Honda EG3600cl has a unique engine support system with a durable steel frame. These rubber dampers, positioned on both sides of the engine and inclined at 45°, significantly reduce the engine vibration of an already quiet machine. Beautiful from an aesthetic point of view, effective



from a functional point of view.

Technical Features of the Generator HONDA EG3600CL a Single-Phase AVR 3,6 kW 4,5kVA:

Phase type: Single-phase

Maximum power: 3.6KW

Continuous use power: 3.2KW

Maximum power: 4.5KVA

Continuous use power: 4KVA

Fuel: Petrol

Voltage (V): 230

Frequency (Hz): 50 Hz

Engine: Honda GX270T2

Type: 4-stroke, OHV, 1 cylinder

Starter: recoil starter

Autonomy: 12h

Consumption: 2 Lt/h

Length: 681 mm

Width: 530 mm

Height: 571 mm

Weight (Kg): 68

D-Avr

Tank capacity: 24

Oil tank capacity: 1.1 L

Displacement (cm³): 270

Engine Revs: 3000

Ignition: Transistorised

Are you looking for a product with different characteristics? [HERE](#) you can find the whole range HONDA and other specialized brands.

Product features:

Phase: Single phase

Maximum power single phase (KW): 3.6

Continuous power single phase (KW): 3.2

Maximum power single phase (KVA): 4.5

Continuous power single phase (KVA): 4

Fuel: Gasoline

Frequency (Hz): 50



Voltage (V): 230
Sockets configuration:
Engine: Honda GX270 T2, 4 stroke, OHV
Engine rpm (rpm): 3000
Ignition: Transistorized
Starting system: Manuale
Number cylinders: 1
Oil capacity (L): 1.1
Cooling: Forced air
Alternator: Bipolar
Bore x stroke (mm): 77 x 58
Fuel tank capacity (L): 24
Consumption (L/h): 2
Running time (h): 12
Acoustic power: 96 dB(A)
Acoustic pressure: 79 dB(A)
Length (mm): 681
Width (mm): 530
Height (mm): 571
Dry weight (Kg): 68
Silenced: No
Super silenced: No
Product type: Generator
ATS Switch device : No
Voltage regulator: iAVR
Engine manufacturer: Honda

