



MASE IS 8.1 MARINE GENERATOR SINGLE-PHASE 7.8KW EPA

Product description:

MASE IS 8.1 SINGLE-PHASE MARINE GENERATOR 7.8KW EPA

MASE IS8,1 single-phase marine generator with Yanmar 3TNV76 engine with diesel power supply at 1800 rpm capable of delivering a power of 7.8KW.

The MASE IS8,1 marine generator is designed with a soundproof cabin that makes it **supersilenced**. The MASE IS8,1 is built with a diesel-powered Yanmar engine and synchronous, self-excited alternator with air/water cooling. With its small size, it is also suitable on small vessels.

The marine generator CBU control module has a new design, the latest technology, a large display and micro-buttons for quick navigation of menus, start and stop procedures; IP54 protection rating. Very compact, 86x124mm and equipped with 10mts shielded cable, the CBU module has multiple functions for complete monitoring of the MASE IS8.1.

The soundproof cabin of the MASE IS8,1 consists of a supporting structure in aluminum profile that supports panels in marine aluminum painted type 5754 extremely light and very high resistance to external agents. The excellent accessibility to the internal compartment makes maintenance operations easier, even when the generator set is installed in narrow spaces.

The MASE IS8.1 marine generator has **EPA** certification valid only for the **U.S. market**.

Technical Specifications:

Phase Type: Single Phase Continuous Use Power: 7.2KW

Maximum Power: 7. 8KW

Fuel: Diesel

Voltage: 120 / 240 V



Frequency: 60 Hz

Engine: Yanmar 3TNV76, 4 Stroke

Length: 760 mm Width: 530 mm Height: 625 mm Weight: 230 Kg

If you are looking for another generator as the MASE IS8,1 then you can see the entire catalog of marine generators.

Images and technical data are not binding.

Product features:

Phase: Single phase

Maximum power single phase (KW): 7.8 Continuous power single phase (KW): 7.2 Maximum power single phase (KVA): 7.8 Continuous power single phase (KVA): 7.2

Fuel: Diesel

Frequency (Hz): 60 Voltage (V): 120 / 240

Engine: Yanmar 3TNV76, 4 stroke

Engine rpm (rpm): 1800

Speed governor: Centrifugal, mechanical

Engine capacity (cm³): 1116

Number cylinders: 3 Oil capacity (L): 3.5

Cooling: Air / water (Intercooler W/A)

Inyección: Indirect

Alternator: Synchronous, self-excited

Poles: 4

Compression ratio: 23.5:1

Lubrication: Forced

Consumption (L/h): 2.6 at 100% of the load

Acoustic pressure: 51 dB(A) at 7 m



Length (mm): 760 Width (mm): 530 Height (mm): 625 Dry weight (Kg): 230

Inverter: No AVR: No

Compound: No Silenced: Yes

Super silenced: Yes

