



DOMETIC TEC 29 Petrol Single Phase Generator 2900 Watts 230 V AC Inverter

Product price:

3.114,00 € tax excluded

Product description:

DOMETIC TEC29 SINGLE-PHASE PETROL GENERATOR 2900 WATTS 230 V AC INVERTER

Dometic TEC29 PETROL INVERTER GENERATOR Thanks to innovative inverter technology with RPM control, the TEC29 unleaded gasoline generator delivers 50% more power per kilogram of weight than previous models.

The Dometic TEC29 Generators differ in the precision of the pure sine wave voltage they produce that is microprocessor controlled with a total harmonic distortion of 1%. Dometic TEC29 generators given their variable speed, have a lower noise level and consume less fuel.

TECHNICAL SPECIFICATIONS OF THE DOMETIC TEC29

Fuel: Gasoline

Phase Type: Single-Phase

Maximum Single-Phase Power (KW): 2.9 Continuous Single-Phase Power (kW): 2.6

Voltage (V): 230 Frequency (Hz): 50 Motor: Honda GX160 Permanent Magnets

Inverter

Consumption (Lt/h): 1. 2

Length (mm): 480 Width (mm): 385 Height (mm): 290 Dry Weight (Kg): 44





Quality features DOMETIC TEC29 generator

- Remote control
- 12 V voltage for battery charging
- Automatic shutdown in case of low oil level
- Electric ignition
- Overload and short-circuit protection
- Soundproof housing
- High continuous power
- Suitable as a power source for all Dometic air conditioners
- Low power consumption
- Possibility of parallel operation of two TEC29 for a double power
- Remote control for display of all operating parameters
- Powered by unleaded gasoline

DISCOVER OTHER GENERATORS IN ADDITION TO THE GENERATOR DOMETIC TEC29 FOR CAMPER IN OUR SECTION CLICKING HERE

Images and technical data not binding.

Product features:

Phase: Single phase

Maximum power single phase (KW): 2.9 Continuous power single phase (KW): 2.6

Fuel: Gasoline Frequency (Hz): 50 Voltage (V): 230

Engine: HONDA GX160

Starting system: Manual / Electric

Net power (kW): 4 Consumption (L/h): 1.2 Acoustic power: 86 dB(A) Acoustic pressure: 59 dB(A)

Length (mm): 480 Width (mm): 385 Height (mm): 290 Dry weight (Kg): 44

Silenced: Yes

Super silenced: Yes





Brushes: No PMG: Yes

Voltage regulator: Inverter

