



GENSET MG4010DM

Product price:

5,959.00 € tax excluded

Product description:

GENSET MG4010DM SINGLE-PHASE VEHICLE GENERATOR 4KVA

The GENSET MG4010DM is a 4KVA single-phase vehicle generator powered by a Yanmar diesel engine with electric start. The GENSET MG4010DM generator is compact and easy to use, and thanks to its compact size and lightweight, it is a vehicle-mounted generator that is easy to install.

This GENSET MG4010DM generator is perfect for vehicle installation. The GENSET MG4010DM also has low fuel consumption: only 1 Lt/h at 75% load. The GENSET MG4010DM generator, thanks to the high quality and efficiency of its components, is ideal for vehicle mounting.

The GENSET MG4010DM 4KVA generator is equipped with a remote control panel consisting of a multifunction digital display for reading generator single-phase voltage, battery voltage, frequency, hour meter, and engine RPM.

The GENSET MG4010DM generator is equipped with an air cooling system that ensures long-lasting and reliable operation even in harsh conditions.

The GENSET MG4010DM 4KVA generator is part of the vehicle range, and thanks to its soundproof casing, it is super-silent, minimizing noise emissions.

Technical specifications of the GENSET MG4010DM generator:

Phase Type: Single-Phase Maximum Single-Phase Power: 4 KVA / 3.2 KW



Engine: Yanmar L 70 V Engine Speed: 3000 rpm Emission Standard: StageV

No. of Cylinders: 1

Cooling: Air

Displacement: 320 cm³ Power: 6 hp (4.5 kWm) Starting System: Electric

Fuel: Diesel Voltage: 230 V Frequency: 50 Hz

Fuel Consumption at 75%: 1 Lt/h Sound Pressure: 89 (64 dB at 7 m)

Length: 640 mm Width: 500 mm Height: 500 mm Dry Weight: 120 kg

If you are looking for a product like the GENSET MG4010DM then you can browse the full range of GENSET's <u>vehicle generator</u> or other types of products in our catalogue to find the one that best suits your needs.

Images and technical data are not binding.

Product features:

Phase: Single phase

Maximum power single phase (KW): 3.2 Maximum power single phase (KVA): 4

Fuel: Diesel

Frequency (Hz): 50 Voltage (V): 230

Engine: Yanmar L70V, 4 stroke Emissions Regulations: Stage 5

Engine rpm (rpm): 3000 Starting system: Electric Engine capacity (cm³): 320

Number cylinders: 1

Cooling: Air

Alternator: Synchronous Protection degree: IP23 Motor insulation class: H Consumption (L/h): 1



Acoustic power: 89 dB(A)

Acoustic pressure: 64 dB(A) at 7 m

Length (mm): 640 Width (mm): 500 Height (mm): 500 Dry weight (Kg): 120

Silenced: Yes

Super silenced: Yes Product type: Generator ATS Switch device: No Voltage regulator: No

Engine manufacturer: Yanmar

